
FEAL



TERMO 120

PODIZNO-KLIZNA VRATA

LIFT & SLIDE DOORS







Knjiga B / *Book B*







SADRŽAJ






CONTENT


06	VEZNI ELEMENTI	406.06.000-000
06	CONNECTION ELEMENTS	406.06.000-000
07	PVC ELEMENTI	406.07.000-000
07	PVC ELEMENTS	406.07.000-000
08	MEHANIZMI	406.08.000-000
08	MECHANISMS	406.08.000-013
09	BRTVILA	406.09.000-000
09	GASKETS	406.09.000-000
10	DODACI	406.10.000-000
10	ACCESSORIES	406.10.000-000
11	OBRADA I MONTAŽA	406.11.000-000
11	PROCESSING AND MONTAGE	406.11.000-000
12	REZNE LISTE	406.12.000-000
12	CUTTING LISTS	406.12.000-000

Vezni elementi
Connection elements







Oznaka Code	Izgled-presjek View-cross section	Opis Description	Materijal Material	Napomena Remark
710.011		- Kutna spojnica 7.5, L=7.5 (Stara oznaka: K 120-3) - Corner bracket 7.5, L=7.5 (Former code: K 120-3)	Al.	
710.066	 M8x13 imbus M6x10	- Veznik, L= 14.7 (Stara oznaka E-200) - Connector, L=14.7 (Former code E-200)	Al.	
710.428	 4.8x16 DIN 7982	- Spojnica ramova (FT-0722F) 44, L=4 (s vijcima) - Frame connector (FT-0722F) 44, L=4 (with screws)	Al.	
710.429	 M8x13	- Spojnica ramova (FT-0722F) 24.6, L=14.6 (s vijcima) - Frame connector (FT-0722F) 24.6, L=14.6 (with screws)	Al.	
710.430		- Spojnica ramova (FT-0722F) 4.5, L=15.5 - Frame connector (FT-0722F) 4.5, L=15.5	Al.	
710.445	 M8x13	- Kutna spojnica 12.5, L=17.5 (s vijcima) - Corner bracket 12.5, L=17.5 (with screws)	Al.	







Oznaka Code	Izgled-presjek View-cross section	Opis Description	Materijal Material	Napomena Remark
710.478	 M8x13	- Kutna spojnica 12.5, L=69.3 (s vijcima) - Corner bracket 12.5, L=63.9 (with screws)	Al.	
710.504	 M6x16	- Kutna spojnica 16, L=10.8 (s vijcima) - Corner bracket 16, L=10.8 (with screws)	Al.	
710.552	 4.8x16 DIN 7382	- Spojnica rama (FT-0720F) 14.6, L=4 (s vijcima) - Frame connector (FT-0720F) 14.6, L=4 (with screws)	Al.	
710.599		- Kutna spojnica 8, L=7.8 - Corner bracket 8, L=7.8	Al.	
710.600	 M6x12	- Kutna spojnica 10, L=10.7 (s vijcima) - Corner bracket 10, L=10.7 (with screws)	Al.	
710.620	 M6x12	- Spojnica ramova (FT-0720F) 34.6, L=10.7 (s vijcima) - Frame connector (FT-0720F) 34.6, L=10.7 (with screws)	Al.	







Oznaka Code	Izgled-presjek View-cross section	Opis Description	Materijal Material	Napomena Remark
730.001		- Kutna spojnica za komoru 4.8x2 (Stara oznaka: G112, 0365) - Corner bracket for chamber 4.8x2 (Former code: G112, 0365)	Inox	
730.008		- Kutna spojnica 14.5, L=28.5 (Stara oznaka: 0409,1001) - Corner bracket 14.5, L=28.5 (Former code: 0409,1001)	Al.	
730.013		- Kutna spojnica 10.8, L=41 (Stara oznaka: 0432) - Corner bracket 10.8, L=41 (Former code: 0432)	Al.	
730.017		- Pomoćni kutnik 18.7 - Auxiliary corner bracket 18.7	Zamak	
731.010		- Kutna spojnica za komoru 19.1x1.6 (Stara oznaka 2019/500) - Chamber corner bracket 19.1x1.6 (Former code 2019/500)	Zamak	
521.189		- Bočni umetak za kadicu (F-1479; F-1480; F-1478) - Side insert for draintub (F-1479; F-1480; F-1478)	Al.	







Oznaka Code	Izgled-presjek View-cross section	Opis Description	Materijal Material	Napomena Remark
710.648		- Kutna spojnica 10, L=42 (s vijcima) - Corner bracket 10, L=42 (with screws)	Al.	




PVC elementi
PVC elements

Oznaka Code	Izgled-presjek View - cross section	Opis Description	Materijal Material	Napomena Remark
363.049		- Umetak za spoj dva krila pod 90° - Insert plug for two wings connection at 90°	Tvrda guma Hard rubber	Par Pair
370.000 370.001 370.002		- Podmetači za staklo - Glazing packers d=3 mm.....370.000 d=5 mm.....370.001 d=7mm.....370.002 (L x H = 18 x 27 mm)	PVC	
370.070.01 03		- Maska sa klapnom za drenažni otvor - Oznaka proizvođača Master: 2145 - Boje: 01- bijela; 03- crna - Drainage slot mask with a flap - Manufacturer code Master: 2145 - Color: 01- white; 03- black	PVC	
373.003.01 02 03		- Maska za drenažni otvor - Boje: 01- bijela; 02-siva; 03- crna (Stara oznaka: 2328) - Drainage slot mask - Color: 01- white; 02- gray; 03- black (Former code: 2328)	PVC	
373.060		- Usmjerivač krila FT-0725F - Wing guide FT-0725F	PVC	
373.061		- Usmjerivač krila FT-0727 - Wing guide FT-0727	PVC	

Oznaka Code	Izgled-presjek View - cross section	Opis Description	Materijal Material	Napomena Remark
374.037	 M1:2	- PVC profil za ugradnju - PVC profile for installation	Tvrdi PVC Hard PVC	80 ShD
374.052		- Pvc umetak u krilu FT-0725F za kotače HS-330 * Uvlačiti prije sastavljanja krila - PVC wing insert FT-0725F for rollers HS-330 * Pull in before assembling the wings	PVC	
374.060		- Umetak za podizno-klizno za bravu (krilo FT-0725F) - Stara oznaka PVC-N2 * Uvlačiti prije sastavljanja krila - Lift-and-slide insert for lock (sash FT-0725F) - Old code PVC-N2 * Pull in before assembling the wings	PVC	
374.068		- Umetak za kotačiće podizno kliznog mehanizma (niski prag) krilo FT-0725F * Uvlačiti prije sastavljanja krila - Insert for lift-slide mechanism wheels (low threshold) sash FT-0725F * Pull in before assembling the wings	PVC	
374.069	 M1:2	- PVC profil za ugradnju (65x15) - PVC profile for installation (65x15)	PVC	
374.070	 M1:2	- PVC profil za ugradnju (50x15) - PVC profile for installation (50x15)	PVC	

Oznaka Code	Izgled-presjek View - cross section	Opis Description	Materijal Material	Napomena Remark
374.075		- Pvc umetak na spoju dva krila, krila i prečke - Krilo FT-0725F - PVC insert at the junction of two sashes, sash and crossbar - Sash FT-0725F	PVC	
374.088		- Umetak na spoju dva krila, krila i prečke - krilo FT-0727 - Insert at the junction of two sashes, sash and crossbar - sash FT-0727	PVC	
374.116		- Pvc umetak u krilu FT-0727 za kotače HS-200 - PVC insert in the sash FT-0727 for wheels HS-200	PVC	
374.117		- Umetak za podizno-klizno za bravu (krilo FT-0727) - Lift-and-slide insert for lock (wing FT-0727)	PVC	
374.118		- Umetak za kotače podizno kliznog mehanizma (niski prag) krilo FT-0727 - Insert for lift-slide mechanism wheels (low threshold) sash FT-0727	PVC	
374.121		- Umetak na spoju dva krila, krila i prečke - krilo FT-0728 - Insert at the junction of two sashes, sash and crossbar - sash FT-0728	PVC	

Oznaka Code	Izgled-presjek View - cross section	Opis Description	Materijal Material	Napomena Remark
375.016.01 02 03		- Umetak maske krila (Stara oznaka: DI-261) - Sash mask cap (Former code DI-261)	PVC	Par Pair
375.018.01		- Umetak profila F-1231 (Stara oznaka DI-269) - Profile plug F-1231; pair (Former code DI-269)	PVC	Par Pair
375.020		- Odbojnik na krilu (Stara oznaka OK-120-01) - Sash bumper (Former code OK-120-01)	Tvrda guma	
375.065		- Bočni Umetci za niski prag Termo 120 plus - Side plugs for low threshold Termo 120 plus	PVC	Par Pair
375.066		- Donji umetak maske krila za Termo 120 plus niski prag-lijevi - Lower sash cover cap for Termo 120 plus low threshold-left	PVC	
375.067		- Donji umetak maske krila za Termo 120 plus niski prag-desni - Lower sash cover cap for Termo 120 plus low threshold-right	PVC	


Oznaka Code	Izgled-presjek View - cross section	Opis Description	Materijal Material	Napomena Remark
378.001	 M1:2	- Umetak po obodu rama - Insert around the perimeter of the frame	PA66GF25 Standard	
340.047		- Mreža komarice - Mosquito net	PVC	
363.098		-Umetak za profil prečke FT-0736F prema ramu FT-0722F-Termo 120 plus Umetak se radi kao gornji i donji (PAR) - zrcalno -Insert for FT-0736F crossbar profile according to the frame FT-0722F-Termo 120 plus The insert is made as upper and lower (PAIR) - mirrored	Tvrda guma 85 ShA	Par Pair
363.101		-Umetak za profil FT-0733 na sudaru krila Umetak se radi kao gornji i donji (PAR) - zrcalno -Insert for FT-0733 profile on the collision of wings The insert is made as upper and lower (PAIR) - mirrored	Tvrda guma 85 ShA	Par Pair

Mehanizmi
Mechanisms

- Popis elemenata s kodovima Hautau Atrium HS 330 i Feal
- Item description with codes of Hautau Atrium HS 330 and Feal

D	H	F	A	B	C	G-2	Naziv dijela i pozicija Part Name and position	Šifra dijela Hautau Item code (Hautau)	Šifra dijela Feal Item code (Feal)
2	3	4	1	2	2	1	Set kotača HS 330 Bogie,handle side (1) (2)	302311	149.001
2	3	4	1	2	2	1	Dodaci Alu-HS 330 Accessories Alu-HS 330 (10) (11) (12) (13) (31)	188636	149.002
2	3	4	1	2	2	1	Set ručke (HAUTAU DESIGN) Carton handle set (HAUTAU-DESIGN) (4) (30)	str. 406.08.011 page 406.08.011	str. 406.08.011 page 406.08.011
2	3	4	1	2	2	1	Brava HS 200 (3) Espag HS 200	Gr. Fh. 180 1200-1800 210 1801-2100 240 2101-2400 270 2401-2700	 195419 195425 195431 195437	 149.007 149.008 149.009 149.010
2	3	4	1	2	2	1	Spojnica kotača (5) Connection rod	Gr. Fb. 150 720-1500 200 1501-2000 250 2001-2500 323 2501-3235	 184578 184581 184584 184587	 149.011 149.012 149.013 149.014
2	3	4	1	2	2	1	Podmetači pod bravu (8) Packer espag.	305466	149.049
2	4	4	2	4	4	2	Dodaci za odbojnik krila (18) Accessories Sash buffer,top	Bijela White 187480 Crna Black 187477 Siva Grey 239855	149.024
4	4	6	2	4	2	2	Zapinjač na ramu (6) Locking bolt	214401	149.006
2	2	2	1	2	1	1	*Zapinjač na ramu,noćna ventilacija (7) *Locking bolt (night vent)	214404	149.004
2	3	4	1	2	2	1	Dodatni vijci (14) Accessories screws	214407	149.018


*Opcija
*Option



Shema D
Schema D

Shema H
Schema H

Shema F
Schema F



Shema A
Schema A

Shema B
Schema B


Shema C
Schema C


Shema G-2
Schema G-2


HAUTAU ATRIUM ALU-HS 330

HAUTAU ATRIUM ALU-HS 330

Poz.Pos.	Naziv dijela Part Name	Poz.Pos.	Naziv dijela Part Name
1	Kotači, na strani ručke Bogie,handle side	10	Odbojnik krila Sash buffer
2	Kotačići Bogie	11	Samopričvrsni spojni vijci Connecting screw self trapping
3	Brava 27.5mm Espag 27.5mm	12	Čep Cap
4	LM ručka s vijcima LM handle incl.screws	13	Pričvrsne matice za točkiće Growed pin
5	Spojnica kotača Connection rod	14	Vijci Screws
6	Zapinjač na ramu Locking bolt	18	Odbojnik krila, gore Sash buffer, top (optional)
7	Zapinjač na ramu za noćnu ventilaciju Locking bolt,night vent	30	Vanjski rukohvatnik s vijcima External finger grip incl.screws
8	Podmetači pod bravu Packer espag.		









- Osnovni set za podizno klizna vrata (HAUTAU).....149.033
- Hautau kod seta 303127
- Basic set for lift and slide door (HAUTAU).....149.033
- Hautau set code 303127


PODIZNO-KLIZNI MEHANIZAM ATRIUM Alu-HS 330 (HS 330)-(HAUTAU)
-za krilo FT-0725
-težina krila max. 330 kg
-mjere krila Fb x Fh = (720-3235) x (1200-2700)
-položaj ručke
-vrata (Fh 1801-2400).....1006 mm


LIFT-SLIDE MECHANISM ATRIUM Alu-HS (HS 330)-(HAUTAU)
-for sach FT-0725
-sash weight max. 330 kg
-sash measurements Fb x Fh = (720-3235) x (1200-2700)
-hande position
-door (Fh 1801-2400)..... 1006 mm








Poz.Pos.	Naziv dijela Part Name	Oznaka proizvođača Manufacurer code	Kom.Num.
1	Kotači za Atrium Alu-HS 330 Bogies Atrium Alu-HS 330	302311	1
2	Pričvrsne matice za meh. i kotačiće Grooved pin	188636	1
3	Zatvarači Locking bolt	214401	2
4	Podmetači pod bravu Packer espag.	305466	1(pak.)













Montažne mjere za podizno-klizni mehanizam ATRIUM ALU-HS 330
Mounting measurements for lift and slide mechanism ATRIUM ALU-HS 330

HAUTAU

Montaža prihvatnika na ramu
Mounting acceptor on frame

	A	B	C
Gr.180	-	600	1000
Gr.210	750	1200	1600
Gr.240	750	1200	1900
Gr.270	750	1200	2200







- Popis elemenata s kodovima Hautau Atrium HS 200 i Feal
- Item description with codes of Hautau Atrium HS 200 and Feal

D	H	F	A	B	C	G-2	Naziv dijela i pozicija Part Name and position	Šfira dijela Hautau Item code (Hautau)	Šfira dijela Feal Item code (Feal)
2	3	4	1	2	2	1	Set kotača HS 200 Bogie,handle side (1) (2) (42) (42a)	193720	149.046
2	3	4	1	2	2	1	Dodaci Alu-HS 200 Accessories Alu-HS 200 (10) (11) (12) (13)	189490	149.047
2	3	4	1	2	2	1	Set ručke (HAUTAU DESIGN) Carton handle set (HAUTAU-DESIGN) (4) (4a) (30) (4d)	str. 406.08.011 page 406.08.011	str. 406.08.011 page 406.08.011
2	3	4	1	2	2	1	Brava HS 120 (3) Espag HS 120 Gr. 180 Fh. 1200-1800 Gr. 210 Fh. 1801-2100 Gr. 240 Fh. 2101-2400	246866 246869 246872	149.036 149.037 149.038
2	3	4	1	2	2	1	Spojnica kotača (5) Connection rod Gr. 150 Fh. 650-1360 Gr. 200 Fh. 1361-1860 Gr. 250 Fh. 1861-2360	184578 184581 184584	149.011 149.012 149.013
2	4	4	2	4	4	2	Dodaci za odbojnik krila (18) Accessories Sash buffer,top	Bijela White 187480 Crna Black 187477 Siva Grey 239855	149.024
4	4	6	2	4	2	2	Zapinjač na ramu (6) Locking bolt	214401	149.006
2	2	2	1	2	1	1	*Zapinjač na ramu,noćna ventilacija (7) *Locking bolt (night vent)	214404	149.004
2	3	4	1	2	2	1	Dodatni vijci (14) Accessories screws	198285	149.050


*Opcija
*Option




Shema D
Schema D




Shema H
Schema H




Shema F
Schema F




Shema A
Schema A



Shema B
Schema B



Shema C
Schema C





Shema G-2
Schema G-2


HAUTAU ATRIUM ALU-HS 200

HAUTAU ATRIUM ALU-HS 200

Poz.Pos.	Naziv dijela Part Name	Poz.Pos.	Naziv dijela Part Name
1	Kotači, na strani ručke Bogie,handle side	12	Čep Cap
2	Kotačići Bogie	13	Pričvrsne matice za točkiće Growed pin
3	Brava 25mm Espag 25mm	14	Vijci Screws
4	LM ručka s vijcima LM handle incl.screws	18	Odbojnik krila, gore Sash buffer, top (optional)
4a	LM ručka,s ključanjem i vijcima LM handle, with lock and screws	30 4d	Vanjski rukohvatnik s vijcima External finger grip incl.screws
5	Spojnica kotača Connection rod	42	Podmetač za točkiće 22mm žlijeb Spacer for bogie HS 200 (22mm grove)
6	Zapinjač na ramu Locking bolt		
7	Zapinjač na ramu za noćnu ventilaciju Locking bolt,night vent	42a	Podmetač za točkiće 18mm žlijeb Spacer for bogie HS 200 (18mm grove)
10	Odbojnik krila Sash buffer		
11	Samopričvrsni spojni vijci Connecting screw self trapping		







- Osnovni set za podizno klizna vrata (HAUTAU).....149.034
- Hautau kod seta 303128
- Basic set for lift and slide door (HAUTAU).....149.034
- Hautau set code 303128

PODIZNO-KLIZNI MEHANIZAM ATRIUM Alu-HS 200 (HS 200)-(HAUTAU)
-za krilo FT-0727
-težina krila max. 200 kg
-mjere krila Fb x Fh = (650-2360) x (1200-2400)
-položaj ručke
-vrata (Fh 1801-2400).....1006 mm

LIFT-SLIDE MECHANISM ATRIUM Alu-HS (HS 200)-(HAUTAU)
-for sach FT-0727
-sash weight max. 200 kg
-sash measurements Fb x Fh = (650-2360) x (1200-2400)
-hande position
-door (Fh 1801-2400)..... 1006 mm




Poz.Pos.	Naziv dijela Part Name	Oznaka proizvođača Manufacurer code	Kom.Num.
1	Kotači za Atrium Alu-HS 200 Bogies Atrium Alu-HS 200	193720	1
2	Pričvrsne matice za meh. i kotačiće Grooved pin	189490	1
3	Zatvarači Locking bolt	214401	2















Montažne mjere za podizno-klizni mehanizam ATRIUM ALU-HS 200
Mounting measurements for lift and slide mechanism ATRIUM ALU-HS 200

HAUTAU

Montaža prihvatnika na ramu
Mounting acceptor on frame

	A	B	C
Gr.180	-	600	1000
Gr.210	750	1200	1600
Gr.240	750	1200	1900







- Popis elemenata s kodovima Hautau Atrium S 330 i Feal
- Item description with codes of Hautau Atrium S 330 and Feal

D	H	F	A	B	C	G-2	Naziv dijela i pozicija Part Name and position	Šfira dijela Hautau Item code (Hautau)	Šfira dijela Feal Item code (Feal)
2	3	4	1	2	2	1	Set kotača S 330 (2) Bogie,handle side	302369	149.051
2	2	3	1	2	1	1	Set ručke (HAUTAU DESIGN) (4) (30) Carton handle set (HAUTAU-DESIGN)	str. 406.08.011 page 406.08.011	str. 406.08.011 page 406.08.011
2	2	3	1	2	1	1	Brava HS 200 (3) Espag HS 200 Gr. 180 Fh. 1200-1800 Gr. 210 Fh. 1801-2100 Gr. 240 Fh. 2101-2400 Gr. 270 Fh. 2401-2700	195419 195425 195431 195437	149.007 149.008 149.009 149.010
2	2	3	1	2	1	1	Podmetači pod bravu (8) Packer espag.	305466	149.049
2	4	4	2	4	4	2	Dodaci za odbojnik krila (18) Accessories Sash buffer,top	Bijela White 187480 Crna Black 187477 Siva Grey 239855	149.024
4	4	6	2	4	2	2	Zapinjač na ramu (6) Locking bolt	214401	149.006
2	2	2	1	2	1	1	*Zapinjač na ramu,noćna ventilacija (7) *Locking bolt (night vent)	214404	149.004
2	3	4	1	2	2	1	Dodatni vijci (14) Accessories screws	214407	149.018


*Opcija
*Option




Shema D
Schema D




Shema H
Schema H




Shema F
Schema F




Shema A
Schema A



Shema B
Schema B



Shema C
Schema C





Shema G-2
Schema G-2


HAUTAU ATRIUM ALU-S 330


HAUTAU ATRIUM ALU-S 330

Poz.Pos.	Naziv dijela Part Name	Poz.Pos.	Naziv dijela Part Name
2	Kotačići Bogie	18	Odbojnik krila, gore Sash buffer, top (optional)
3	Brava 27.5mm Espag 27.5mm	30	Vanjski rukohvatnik s vijcima External finger grip incl.screws
4	LM ručka s vijcima LM handle incl.screws		
6	Zapinjač na ramu Locking bolt		
7	Zapinjač na ramu za noćnu ventilaciju Locking bolt,night vent		
8	Podmetači pod bravu Packer espag.		
10	Odbojnik krila Sash buffer		
14	Vijci Screws		










- Osnovni set za klizna vrata (HAUTAU).....149.039
- Hautau kod seta 303153
- Basic set for slide door (HAUTAU).....149.039
- Hautau set code 303153


KLIZNI MEHANIZAM ATRIUM Alu-S 330 (S 330)-(HAUTAU)
-za krilo FT-0725
-težina krila max. 330 kg
-mjere krila Fb x Fh = (720-3235) x (1200-2700)
-položaj ručke
-vrata (Fh 1801-2400).....1006 mm


SLIDE MECHANISM ATRIUM Alu-S (S 330)-(HAUTAU)
-for sach FT-0725
-sash weight max. 330 kg
-sash measurements Fb x Fh = (720-3235) x (1200-2700)
-hande position
-door (Fh 1801-2400)..... 1006 mm







Poz.Pos.	Naziv dijela Part Name	Oznaka proizvođača Manufacurer code	Kom.Num.
2	Kotači za Atrium Alu-S 330 Bogies Atrium Alu-S 330	302369	1
3	Zatvarači Locking bolt	214401	2
4	Podmetači pod bravu Packer espag.	305466	1(pak.)













Montažne mjere za podizno-klizni mehanizam ATRIUM ALU-S 330
Mounting measurements for lift and slide mechanism ATRIUM ALU-S 330

HAUTAU

Montaža prihvatnika na ramu
Mounting acceptor on frame

	A	B	C
Gr.180	-	600	1000
Gr.210	750	1200	1600
Gr.240	750	1200	1900
Gr.270	750	1200	2200







- Popis elemenata s kodovima Hautau Atrium S 200 i Feal
- Item description with codes of Hautau Atrium S 200 and Feal

D	H	F	A	B	C	G-2	Naziv dijela i pozicija Part Name and position	Šifra dijela Hautau Item code (Hautau)	Šifra dijela Feal Item code (Feal)
2	3	4	1	2	2	1	Set kotača S 200 (2) (42) (42a) Bogie,handle side	215004	149.052
2	2	3	1	2	1	1	Set ručke (HAUTAU DESIGN) (4) (4a) (30) (4d) Carton handle set (HAUTAU-DESIGN)	str. 406.08.011 page 406.08.011	str. 406.08.011 page 406.08.011
2	2	3	1	2	1	1	Brava HS 120 (3) Espag HS 120 Gr. 180 Fh. 1200-1800 Gr. 210 Fh. 1801-2100 Gr. 240 Fh. 2101-2400	246866 246869 246872	149.036 149.037 149.038
2	4	4	2	4	4	2	Dodaci za odbojnik krila (18) Accessories Sash buffer,top	Bijela White 187480 Crna Black 187477 Siva Grey 239855	149.024
4	4	6	2	4	2	2	Zapinjač na ramu (6) Locking bolt	214401	149.006
2	2	2	1	2	1	1	*Zapinjač na ramu,noćna ventilacija (7) *Locking bolt (night vent)	214404	149.004
2	3	4	1	2	2	1	Dodatni vijci (14) Accessories screws	198285	149.050


*Opcija
*Option




Shema D
Schema D




Shema H
Schema H




Shema F
Schema F




Shema A
Schema A



Shema B
Schema B



Shema C
Schema C





Shema G-2
Schema G-2


HAUTAU ATRIUM ALU-S 200


HAUTAU ATRIUM ALU-S 200

Poz.Pos.	Naziv dijela Part Name	Poz.Pos.	Naziv dijela Part Name
2	Kotačići Bogie	14	Vijci Screws
3	Brava 25mm Espag 25mm	18	Odbojnik krila, gore Sash buffer, top (optional)
4	LM ručka s vijcima LM handle incl.screws	30 4d	Vanjski rukohvatnik s vijcima External finger grip incl.screws
4a	LM ručka,s ključanjem i vijcima LM handle, with lock and screws	42	Podmetač za točkiće 22mm žlijeb Spacer for bogie HS 200 (22mm grove)
6	Zapinjač na ramu Locking bolt		
7	Zapinjač na ramu za noćnu ventilaciju Locking bolt,night vent	42a	Podmetač za točkiće 18mm žlijeb Spacer for bogie HS 200 (18mm grove)
10	Odbojnik krila Sash buffer		









- Osnovni set za podizno klizna vrata (HAUTAU).....149.040
- Hautau kod seta 303154
- Basic set for lift and slide door (HAUTAU).....149.040
- Hautau set code 303154


KLIZNI MEHANIZAM ATRIUM Alu-S 200 (S 200)-(HAUTAU)
-za krilo FT-0727
-težina krila max. 200 kg
-mjere krila Fb x Fh = (650-2360) x (1200-2400)
-položaj ručke
-vrata (Fh 1801-2400).....1006 mm


SLIDE MECHANISM ATRIUM Alu-S (S 200)-(HAUTAU)
-for sach FT-0727
-sash weight max. 200 kg
-sash measurements Fb x Fh = (650-2360) x (1200-2400)
-hande position
-door (Fh 1801-2400)..... 1006 mm



Poz.Pos.	Naziv dijela Part Name	Oznaka proizvođača Manufacurer code	Kom.Num.
2	Kotači za Atrium Alu-S 200 Bogies Atrium Alu-S 200	215004	1
3	Zatvarači Locking bolt	214401	2









Montažne mjere za podizno-klizni mehanizam ATRIUM ALU-S 200
Mounting measurements for lift and slide mechanism ATRIUM ALU-S 200

HAUTAU




Montaža prihvatnika na ramu
Mounting acceptor on frame






	A	B	C
Gr.180	-	600	1000
Gr.210	750	1200	1600
Gr.240	750	1200	1900


















Oznaka Code	Izgled-presjek View - cross section	Opis Description	Materijal Material	Napomena Remark
149.007		- Brava za ključanje HS 200 vel. 180 - Oznaka proizvođača 195419 (Fh 1200-1800) - Espagnolette HS 200 size 180 - Manufacturer's code 195419 (Fh 1200-1800)		
149.008		- Brava za ključanje HS 200 vel. 210 - Oznaka proizvođača 195425 (Fh 1801-2100) - Espagnolette HS 200 size 210 - Manufacturer's mark 195425 (Fh 1801-2100)		
149.009		- Brava za ključanje HS 200 vel. 240 - Oznaka proizvođača 195431 (Fh 2101-2400) - Espagnolette HS 200 size 240 - Manufacturer's mark 195431 (Fh 2101-2400)		
149.010		- Brava za ključanje HS 200 vel. 270 - Oznaka proizvođača 195437 (Fh 2401-2700) - Espagnolette HS 200 size 270 - Manufacturer's code 195437 (Fh 2401-2700) Hautau		
149.036		- Brava za ključanje HS 120 vel. 180 - Oznaka proizvođača 246866 (Fh 1200-1800) - Espagnolette HS 120 size 180 - Manufacturer's code 246866 (Fh 1200-1800)		
149.037		- Brava za ključanje HS 120 vel. 210 - Oznaka proizvođača 246869 (Fh 1801-2100) - Espagnolette HS 120 size 210 - Manufacturer's code 246869 (Fh 1801-2100)		
149.038		- Brava za ključanje HS 120 vel. 240 - Oznaka proizvođača 246872 (Fh 2101-2400) - Espagnolette HS 120 size 240 - Manufacturer's code 246872 (Fh 2101-2400) Hautau		

Oznaka Code	Izgled-presjek View - cross section	Opis Description	Materijal Material	Napomena Remark
149.004		- Zapinjač na ramu (ventilacijski) - Oznaka proizvođača: 214404 - Frame locking bolt (ventilation) - Manufacturer's code: 214404 Hautau		
149.006		- Zapinjač na ramu - Oznaka proizvođača: 214401 - Frame locking bolt - Manufacturer's code: 214401 Hautau		
149.017		- Donje ključanje-prag (HAUTAU) - Oznaka proizvođača:186934 - Lower locking-threshold (HAUTAU) - Manufacturer's code: 186934 Hautau		
149.043		- Opruga za bravu podizno kliznog mehanizma (lakše otvaranje ručke)<200 kg - Oznaka proizvođača:239654 (Atrium HS -Soft Lift) - Spring for the espagnolette of the lifting sliding mechanism (easier opening of the handle) <200 kg - Manufacturer's mark: 239654 (Atrium HS -Soft Lift) Hautau		
149.044		- Opruga za bravu podizno kliznog mehanizma (lakše otvaranje ručke)>200 kg - Oznaka proizvođača:239657 (Atrium HS -Soft Lift) - Spring for the espagnolette of the lifting sliding mechanism (easier opening of the handle)>200 kg - Manufacturer's mark: 239657 (Atrium HS -Soft Lift) Hautau		







Oznaka Code	Izgled-presjek View - cross section	Opis Description	Materijal Material	Napomena Remark
149.011 149.012 149.013 149.014		- Spojnica kotača vel. 150 (HAUTAU) - Oznaka proizvođača 184578 (Fb 720-1500) - wheel connection rod size 150 (HAUTAU) - Manufacturer's code 184578 (Fb 720-1500) - Spojnica kotača vel. 200 - Oznaka proizvođača 184581 (Fb 1501-2000) - wheel connection rod size 200 (HAUTAU) - Manufacturer's code 184581 (Fb 1501-2000) - Spojnica kotača vel. 250 - Oznaka proizvođača 184584 (Fb 2001-2500) - wheel connection rod size 250 (HAUTAU) - Manufacturer's code 184584 (Fb 2001-2500) - Spojnica kotača vel. 323 - Oznaka proizvođača 184587 (Fb 2501-3235) - wheel connection rod size 323 (HAUTAU) - Manufacturer's code 184587 (Fb 2501-3235) Hautau		
149.030		- Usporivač krila za težine krila ≤ 200 kg - Oznaka proizvođača:300359 (Atrium comfort close) - Sash slower for sash weights ≤ 200 kg - Manufacturer's code: 300359 (Atrium comfort close) Hautau		
149.031		- Usporivač krila za težine krila > 200-300 kg - Oznaka proizvođača:300360 (Atrium comfort close) - Sash slower for sash weights > 200 kg-300kg - Manufacturer's code: 300360 (Atrium comfort close) Hautau		
149.032		- Usporivač krila-dodatak na ramu - Oznaka proizvođača:300380 (Atrium comfort close) - Wing slower-an addition to the frame - Manufacturer's code: 300380 (Atrium comfort close) Hautau		
149.042		- Osnovni komplet za protuprovalnost WK2 - Oznaka proizvođača:228487 (Atrium HS -Safe) - Basic anti-burglary set WK2 - Manufacturer's code: 228487 (Atrium HS -Safe) Hautau		






Oznaka Code	Izgled-presjek View - cross section	Opis Description	Materijal Material	Napomena Remark
108.001.01 03 04 06		- Unutarnja ručka (bez vanjskog prihvatnika) - Oznaka proizvođača 196853 (RAL 9016) 196859 (crna) na upit (natural) 246230 (srebrena) - Internal handle (without external catch) - Manufacturer's code 196853 (RAL 9016) 196859 (black) on request (natural) 246230 (silver) Hautau		
108.002.01 03 04 06		- Unutarnja ručka sa cilindrom za ključanje (bez vanjskog prihvatnika) - Oznaka proizvođača 196868 (RAL 9016) 196871 (crna) na upit (natural) 246242 (srebrena) - Internal handle with locking cylinder (without external catch) - Manufacturer's code 196868 (RAL 9016) 196871 (black) on request (natural) Hautau 246242 (silver)		
108.003.01 03 04 06		- Unutarnja ručka (bez vanjskog prihvatnika i osovine) -Oznaka proizvođača 246287 (RAL 9016) 246272 (crna) 246182 (natural) 246236 (srebrena) - Internal handle (without external catch and shaft) -Manufacturer's mark 246287 (RAL 9016) 246272 (black) 246182 (natural) Hautau 246236 (silver)		
108.004.01 03 04 06		- Unutarnja ručka sa cilindrom za ključanje (bez vanjskog prihvatnika i osovine) - Oznaka proizvođača 246290 (RAL 9016) 246275 (crna) 246185 (natural) 246248 (srebrena) - Internal handle with locking cylinder (without external catch holder and shaft) - Manufacturer's code 246290 (RAL 9016) 246275 (black) 246185 (natural) Hautau 246248 (silver)		
108.005.01 03 04 06		- Vanjska ručka sa cilindrom za ključanje (bez osovine) -Oznaka proizvođača 246293 (RAL 9016) 246278 (crna) 246188 (natural) 246254 (srebrena) - External handle with locking cylinder (without shaft) - Manufacturer's code 246293 (RAL 9016) 246278 (black) 246188 (natural) Hautau 246254 (silver)		





Oznaka Code	Izgled-presjek View - cross section	Opis Description	Materijal Material	Napomena Remark
108.006.01 03 04 06		- Unutarnja ručka -set - Oznaka proizvođača 185170 (RAL 9016) 193615 (crna) 204553 (natural) 246227 (srebrena) - Internal handle -set - Manufacturer's code 185170 (RAL 9016) 193615 (black) 204553 (natural) 246227 (silver) Hautau		
108.007.01 03 04 06		- Unutarnja ručka-set (sa cilindrom za ključanje) - Oznaka proizvođača 186982 (RAL 9016) 193618 (crna) 204556 (natural) 246239 (srebrena) - Internal handle set (with locking cylinder) - Manufacturer's code 186982 (RAL 9016) 193618 (black) 204556 (natural) 246239 (silver) Hautau		
108.008.01 03 04 06		- Pogonske ručke-set (sa cilindrom za ključanje) - Oznaka proizvođača 185179 (RAL 9016) 193621 (crna) 206863 (natural) 246251 (srebrena) - Drive handles-set (with locking cylinder) - Manufacturer's code 185179 (RAL 9016) 193621 (black) 206863 (natural) 246251 (silver) Hautau		
108.010.01 03 04 05		- Unutarnja ručka za malo krilo FT-0727 (bez vanjskog prihvatnika) -Oznaka proizvođača 206209 (bijela) 206212 (crna) 206206 (elox) 207361 (smeđa) - Internal handle for small sash FT-0727 (without external catch) -Manufacturer's code 206209 (white) 206212 (black) 206206 (anodized) 207361 (brown) Hautau		
108.011.01 04 05		- Unutarnja ručka za malo krilo FT-0727 (bez vanjskog prihvatnika) sa ključem -Oznaka proizvođača 206218 (bijela) 206215 (elox) 207367 (smeđa) - Internal handle for small leaf FT-0727 (without external latch) with key -Manufacturer's code 206218 (white) 206215 (anodized) 207367 (brown) Hautau		





Oznaka Code	Izgled-presjek View - cross section	Opis Description	Materijal Material	Napomena Remark
108.009.01 03 04 06		-Standardni vanjski rukohvatnik 9.5 mm - Oznaka proizvođača 185161 (RAL 9016) 193600 (crna) 185158 (natural) 224259 (srebrena) -Standard external handle 9.5 mm -Manufacturer's code 185161 (RAL 9016) 193600 (black) 185158 (natural) 224259 (silver) Hautau		
108.012.01 .03 06		-Ravni vanjski rukohvatnik -Oznaka proizvođača 223548 (bijela) 223926 (crna) 223551 (srebrena) -Flat outer handle -Manufacturer's mark 223548 (white) 223926 (black) 223551 (silver) Hautau		
100.016.01 02 03		- Ukopavajuća ručka za podizno klizna vrata - Oznaka proizvođača: PHIB0100-00401 (RAL 9016)....01 PHIB0100-02501 (EV1 silber Si-silber)..02 PHIB0100-02301 (RAL 9005).....03 - Burrowing handle for lifting and sliding door - Manufacturer's mark: PHIB0100-00401 (RAL 9016)....01 PHIB0100-02501 (EV1 silver Si-silver)..02 PHIB0100-02301 (RAL 9005).....03 Siegenia		
149.049		- Umetci za bravu 4mm - Oznaka proizvođača 305466 - 1 pakiranje 5 komada - koriste se u velikom krilu FT-0725F - 4mm lock inserts - Manufacturer's code 305466 - 1 pack of 5 pieces - used in large sash FT-0725F Hautau		





Brtvila
Gaskets






Oznaka Code	Izgled-presjek View - cross section	Opis Description	Materijal Material	Napomena Remark
318.001		- Brtva prema staklu /unutarnja/ - oznaka proizvođača 02951-FL (Complastex) - Glass seal /internal/ - manufacturer's code 02951-FL (Complastex)	EPDM	
318.002		-Brtva prema staklu /unutarnja/ - oznaka proizvođača 02952-FL (Complastex) -Glass seal /internal/ -manufacturer's code 02952-FL (Complastex)	EPDM	
311.003		- Brtva prema staklu /unutarnja,nosi 3-4 mm/ - Seal against the glass /internal, wears 3-4 mm/	EPDM	
311.004		- Brtva prema staklu /unutarnja,nosi 5-6 mm/ - Seal against the glass /internal, wears 5-6 mm/	EPDM	
311.005		- Brtva prema staklu /unutarnja,nosi 7-8 mm/ - Seal against the glass /internal, wears 7-8 mm/	EPDM	
328.007		- Brtva prema staklu /vanjska/ - oznaka proizvođača 02486-FL (Complastex) - Glass seal /external/ - manufacturer's code 02486-FL (Complastex)	EPDM	

Oznaka Code	Izgled-presjek View - cross section	Opis Description	Materijal Material	Napomena Remark
328.002		- Brtva prema staklu /vanjska/ - oznaka proizvođača 02143 (Complastex) - Glass seal /external/ - manufacturer's code 02143 (Complastex)	EPDM	
328.003		- Brtva prema staklu /vanjska/ - oznaka proizvođača 02487 (Complastex) - Glass seal /external/ - manufacturer's code 02487 (Complastex)	EPDM	
344.015		- Brtva fiksnog krila - Stara oznaka B-IF-01 - Fixed wing gasket - Old designation B-IF-01	TPE	
348.052		- Brtva za ram - Oznaka proizvođača 020605 (Complastex) - Frame gasket - Manufacturer's code 020605 (Complastex)	EPDM	
348.054		- Brtva u donjem pojasu krila prema ramu, niski prag (T120) - Oznaka proizvođača 020613 (Complastex) - Seal in the lower sash belt towards the frame, low threshold (T120) - Manufacturer's code 020613 (Complastex)	EPDM	
344.055		- Brtva za masku F-1381-niski prag - F-1381 mask seal - low threshold	TPE	



Oznaka Code	Izgled-presjek View - cross section	Opis Description	Materijal Material	Napomena Remark
344.068		- Brtva na fiksnom dijelu-niski prag sa kadicom - Seal on the fixed part - low threshold with tub	TPE	
348.073		- Brtva na spoju krila i prečke - Seal at the wing joint	EPDM+Coex	
344.075		- Brtva na spoju krila pod 90° - Seal at the 90° wing joint	TPE	
348.048		-Brtva - držač mreže - Oznaka proizvođača 000600 (Complastex) - Gasket - net holder - Manufacturer's code 000600 (Complastex)	PVC	
358.015		- Brtva prema staklu /unutarnja/ nosi 9mm - Oznaka proizvođača- 02877 (Complastex) - Seal against the glass /internal/ carries 9mm - Manufacturer's mark- 02877 (Complastex)	EPDM	
344.104		- Brtva u prečki fiksnog dijela - Termo 120 - Gasket in the crossbar of the fixed part - Termo 120	TPE	



Oznaka Code	Izgled-presjek View - cross section	Opis Description	Materijal Material	Napomena Remark
347.011		- Brtva 7x7, (crna) (Stara oznaka: QL 6970) - Oznaka proizvođača Schlegel: 2Q693223 - Seal 7x7, (black) (Former code: QL 6970) - Manufacturer code Schlegel: 2Q693223		
347.012		- Brtva 7x10, (crna) (Stara oznaka: QL 69100) - Oznaka proizvođača Schlegel: 2Q694223 - Seal 7x10, (black) (Former code: QL 69100) - Manufacturer code Schlegel: 2Q694223		
347.003		- Četkasta brtva 7x9, (crna) - Oznaka proizvođača Schlegel: 2A773288016CJ - Brush seal 7x9, (black) - Manufacturer code Schlegel: 2A773288016CJ	PP	
347.004		- Četkasta brtva 7x5.5, (crna) - Oznaka proizvođača Schlegel: 2A703288008CJ - Brush seal 7x5.5, (black) - Manufacturer code Schlegel: 2A703288008CJ	PP	







Oznaka Code	Izgled-presjek View - cross section	Opis Description	Materijal Material	Napomena Remark
340.041		- Ugradnja umetka s četkicom 340.041 na spojevima krila s prečkom - Installing the brush insert 340.041 on the sash-bar joints	-	
340.515		- Ugradnja umetka s četkicom 340.515 na spojevima dva krila - Installing the brush insert 340.515 at the joints of two wings	-	
340.517		- Ugradnja umetka s četkicom 340.517 na spojevima dva krila započinjemo obradom pvc-a 378.001 koji se uvlači na gornju vodoravnicu rama, nakon kojeg može uslijediti sama ugradnja umetka - The installing of the insert with a brush 340.517 at the joints of the two wings begins with the processing of PVC 378.001, which is inserted into the upper horizontal part of the frame, after which the installation of the insert itself can follow	-	
340.521		- Ugradnja umetka s četkicom 340.521 na spojevima krila s prečkom - Installing the brush insert 340.521 at the sash-bar joints	-	







Oznaka Code	Izgled-presjek View - cross section	Opis Description	Materijal Material	Napomena Remark
360.014		- Ugradnja umetka 360.014 na spojevima dva krila - Installing insert 360.014 at the joints of the sashes	EPDM	
364.018		- Ugradnja umetka 364.018 na spojevima krila FT-0725F s prečkom FT-0730F - Installation of insert 364.018 on the joints of the FT-0725F sash with the FT-0730F crossbar	EPDM	
364.019		- Ugradnja umetka 364.019 na spojevima krila FT-0727 s prečkom FT-0735 - Installation of insert 364.019 on the joints of the FT-0727 sash with the FT-0735 crossbar	EPDM	
364.020		- Ugradnja umetka 364.020 na spojevima krila FT-0728 s prečkom FT-0737 - Installation of insert 364.020 on the joints of the FT-0728 sash with the FT-0737 crossbar	EPDM	
361.029		- Gumeni umetak u pragu između krila i prečke (niski prag) - Rubber insert in the threshold between the sash and the crossbar (low threshold)	TPE	




Dodaci
Accessories

Oznaka Code	Izgled-presjek View- cross section	Opis Description	Materijal Material	Napomena Remark
220.041		-Grupa glodala za obradu profila prečki FT-0730,FT-0731F,FT-0735 i FT-0737F prema profilu rama FT-0722 - Termo 120 plus -Group of milling cutters for processing the FT-0730,FT-0731F,FT-0735 i FT-0737F crossbar profile towards to the FT-0722 frame profile - Termo 120 plus	Čelik Steel	
220.043		-Grupa glodala za obradu profila prečke FT-0736F prema profilu rama FT-0722F - Termo 120 plus -Group of milling cutters for processing the FT-0736F crossbar profile towards to the FT-0722 frame profile - Termo 120 plus	Čelik Steel	

Oznaka Code	Izgled-presjek View- cross section	Opis Description	Materijal Material	Napomena Remark
433.003	Vijak 3.5x13 DIN 7981			
433.005	Vijak 3.5x19 DIN 7981			
433.007	Vijak 3.5x25 DIN 7981			
433.019	Vijak 3.9x22 DIN 7981			
433.021	Vijak 3.9x32 DIN 7981			
433.048	Vijak 4.8x45 DIN 7981			
433.049	Vijak 4.8x50 DIN 7981			
433.091	Vijak 3.5x13 DIN 7982			
433.092	Vijak 3.5x16 DIN 7982			
433.094	Vijak 3.5x22 DIN 7982			
433.095	Vijak 3.5x25 DIN 7982			
433.108	Vijak 3.9x25 DIN 7982			
433.116	Vijak 4.2x13 DIN 7982			
433.120	Vijak 4.2x25 DIN 7982			
433.121	Vijak 4.2x32 DIN 7982			


Oznaka Code	Izgled-presjek View- cross section	Opis Description	Materijal Material	Napomena Remark
340.013		- Izolacijska ispuna s ljepljivom trakom (43x12) (spužvasta ispuna po opsegu stakla) - Insulation foam with adhesive tape (43x12) (foam insulation around the glass)	XPE	
340.042		- Izolacijski umetak na ramu T120 plus - Insulation insert on the T120 plus frame	XPS	
340.044		- Izolacijski umetak na spoju dva krila - Insulation insert at the junction of two wings	XPS	
340.045		- Izolacijski umetak na spoju dva krila - Insulation insert at the junction of two wings	XPS	
340.333		- XPS barijera za komoru 70.3x14.5 - Za profil: FT-0722F (Termo 120) - XPS barrier for chamber 70.3x14.5 - For profile: FT-0722F (Termo 120)	XPS	
340.335		-XPS barijera za komoru 5.1x16 -Za profil: FT-0722F (Termo 120) -XPS barrier for chamber 5.1x16 -For profile: FT-0722F (Termo 120)	XPS	

Oznaka Code	Izgled-presjek View- cross section	Opis Description	Materijal Material	Napomena Remark
340.341		-XPS barijera za komoru 11.3x17 - Za profil: FT-0725 (Termo 120) -XPS barrier for chamber 11.3x17 -For profile: FT-0725 (Termo 120)	XPS	
340.343		-XPS barijera za komoru 7.9x57.1 - Za profil: FT-0725 (Termo 120) -XPS barrier for chamber 7.9x57.1 - For profile: FT-0725 (Termo 120)	XPS	
340.540		-XPS barijera - Za profil: FT-0727 (Termo 120) -XPS barrier - For profile: FT-0727 (Termo 120)	XPS	
340.496		Termo ispuna za komoru između krila FT-0727 i maske F-1793 Thermal filling for the chamber between the wing FT-0727 and the mask F-1793	XPS	
340.506		Termo ispuna za komoru 34 x 46 mm, L=2400 mm XPS za spoj krila FT-0725F i profila FT-0733F Thermal filling for chamber 34 x 46 mm, L=2400 mm XPS for connection of sash FT-0725F and profile FT-0733F	XPS	
340.507		Termo ispuna za komoru 32.5 x 27.2 mm, L=2400 mm XPS za spoj krila FT-0727 i profila FT-0733F Thermal insulation for the chamber 32.5 x 27.2 mm, L=2400 mm XPS for the connection of the FT-0727 sash and the FT-0733F profile	XPS	

Oznaka Code	Izgled-presjek View- cross section	Opis Description	Materijal Material	Napomena Remark
340.533		- Termo ispuna za komoru: 33.5x25.6, L=2400 mm Koristi se u profilu FT-0725F Uvlači se u gornju vodoravnicu prije sastavljanja krila zbog poboljšanja termike - Thermal filling for the chamber: 33.5x25.6, L=2400 mm Used in the FT-0725F profile Inserts into the upper horizontal before assembling the sash to improve thermal insulation	XPS	
340.534		- Termo ispuna za komoru: 26.8x20.8 L=2400 mm Koristi se u profilu FT-0727 Uvlači se u gornju vodoravnicu prije sastavljanja krila zbog poboljšanja termike - Thermal insulation for the chamber: 26.8x20.8 L=2400 mm Used in the FT-0727 profile Inserts into the upper horizontal before assembling the sash to improve thermal insulation	XPS	
348.001		- Izolacijska ispuna Nomatec Ø13 mm (spužvasta ispuna po opsegu stakla) - Nomatec insulation filling Ø13 mm (sponge filling around the perimeter of the glass)	XPE	

Obrada i montaža
Processing and montage

SPAJANJE PROFILA KUTNICIMA POD KUTEM OD 90°
JOINING PROFILES WITH CORNER BRACKETS UNDER 90° ANGLE



POSTUPAK SPAJANJA PROFILA:

1. Sve površine koje se spajaju-rezove očistiti i odmastiti odgovarajućim sredstvom /npr. "Henkel" - Teroson VR 20 ili Teroson FL+ /.
2. Premazati sve površine koje se spajaju ljepilom za metal /npr. "Henkel" - Teroson MS 939 /.
3. Ljepilo za metal ubrizgati u komore za kutnik (po opsegu komore)
4. Profile s kutnicima izravnati i spojiti
5. Dio ljepila koji iscuri između rezova očistiti sredstvom za čišćenje i odmašćivanje /npr. "Henkel" - Teroson VR 20 ili Teroson FL+ /.

NAPOMENA:


Ovaj postupak spajanja profila primjenjiv je za sve Feal-ove kutnike i njima odgovarajuće komore. Lijepljenjem rezova i kutnika ljepilima za metal, osigurava se potrebna zrako- i vodonepropusnosti spoja kao i dodatna mehanička čvrstoća spoja.


PROCEDURE FOR JOINING PROFILES:

1. Clean and degrease all surfaces to be joined - cuts with a suitable agent /e.g. "Henkel" - Teroson VR 20 or Teroson FL+ /.
2. Coat all surfaces to be joined with metal adhesive glue /e.g. "Henkel" - Teroson MS 939 /.
3. Inject metal adhesive glue into the corner joint chamber (around the perimeter of the chamber)
4. Align and connect the profiles with corner joints
5. Clean the part of the adhesive that leaks between the cuts with a cleaning and degreasing agent /e.g. "Henkel" - Teroson VR 20 or Teroson FL+ /.

NOTE:


This profile joining procedure is applicable to all Feal corner joints and their corresponding chambers. By gluing the cuts and corner joints with metal adhesives, the necessary air and water tightness of the joint is ensured as well as additional mechanical strength of the joint.








Obrada rama FT-0720F za spajanje pomoću kutnika


Processing of frame FT-0720F for connecting with corner joint





















Obrada rama FT-0721F za spajanje pomoću kutnika


Processing of frame FT-0721F for connecting with corner joint





















Spajanje kutnikom 710.072
vijcima M8x10 -tip Feal
Corner bracket connection 710.072
screws M8x10 -type Feal












Presjek A-A





Presjek B-B


Spajanje kutnikom 710.072
vijcima M8x10 -tip Feal
Corner bracket connection 710.072
screws M8x10 -type Feal





















Obrada rama FT-0722F za spajanje pomoću kutnika
Processing of frame FT-0722F for connecting with corner joint













Obrada krila FT-0725F za spajanje pomoću kutnika
Processing of wings FT-0725F for connecting with corner joint


Spajanje kutnikom 710.011 uprešavanjem stijenke profila u kutnik uprešavanjem
Corner bracket connection 710.011 aluminium profile corner crimping
Napomena - nije nužno jer se radi o vanjskoj stijenci koja je vidljiva
Note - not necessary because it is an external wall that is visible
















DRILLING A Ø8 HOLE FOR THE 710.504 CORNER JOINT:
1. Ø6.4 mm HOLE IN THE CENTER OF THE CHAMBER IS PIERCED BY PUNCH
2. USING THE DRILL EXPAND THE Ø6.4 HOLE TO Ø8 mm


BUŠENJE RUPE Ø8 ZA KUTNIK 710.504:
1. RUPU PROMJERA Ø6.4 mm PROBIJA ŠTANCA U SREDINI KOMORE
2. POMOĆU SVRDLA RUPU Ø6.4 PROŠIRITI NA Ø8 mm


Spajanje kutnikom 710.599 uprešavanjem stijenke profila u kutnik uprešavanjem
Corner bracket connection 710.599 aluminium profile corner crimping
Napomena - nije nužno jer se radi o vanjskoj stijenci koja je vidljiva
Note - not necessary because it is an external wall that is visible








Obrada krila FT-0727 za spajanje pomoću kutnika
Processing of wings FT-0727 for connecting with corner joint



























Obrada krila FT-0727 i FT-0728 za spajanje pomoću kutnika
Processing of wings FT-0727 and FT-0728 for connecting with corner joint












Obrada donje i gornje vodoravnice krila FT-0727 za spoj s vertikalom krila FT-0728 te maskom F-1793
Processing of the lower and upper horizontal wing FT-0727 for connection with the vertical wing FT-0728 and mask F-1793


1. korak pilanje gornje i donje vodoravnice pod 90° za 34.4 mm
1. step sawing the upper and lower horizontal at 90° for 34.4 mm







2. korak obrada gornje i donje vodoravnice krila za spoj sa maskom F-1793
2. step processing the upper and lower horizontal edges of the wings for connection with the mask F-1793













PRESJEK A-A








PRESJEK B-B




433.925 (vijak
M6x12 tip Feal)
433.925 (vijak
M6x12 tip Feal)
433.129 (vijak
4.8x16 DIN7982)
433.129 (vijak
4.8x16 DIN7982)
433.925 (vijak
M6x12 tip Feal)
kutna spojnica
710.552
kutna spojnica
710.620
433.925 (vijak
M6x12 tip Feal)
kutna spojnica
710.620
kutna spojnica
710.552
*
* silikonirati dodirnu površinu
između kutne spojnice i al profila
* silicone the contact surface
between the corner joint and the
aluminum profile


112
112
kutna spojnica
710.428
15
73
73
FT-0722F
kutna spojnica
710.430
14
30
126
433.129 (vijak
4.8x16 DIN7982)
Ø10.5
15
431.266
kutna spojnica
710.429


433.129 (vijak
4.8x16 DIN7982)
433.266 (vijak
M8x13 tip Feal)
kutna spojnica
710.428
FT-0722F
kutna spojnica
710.429
*
kutna spojnica
710.430
73
112
* silikonirati dodirnu površinu
između kutne spojnice i al profila
FT-0722F



POSTUPAK SPAJANJA PROFILA :

1. Sve površine koje se spajaju-rezove očistiti i odmastiti odgovarajućim sredstvom /npr. "Henkel" - Teroson VR 20 ili Teroson FL+ /.
2. Premazati sve površine koje se spajaju ljepilom za metal /npr. "Henkel" - Teroson MS 939 /.
3. Profile s veznicima izravnati i spojiti
4. Nakon spajanja profila, sve spojeve profila ispuniti ljepilom za metal /npr. "Henkel" - Teroson MS 939 /.
5. Dio ljepila koji iscuri između rezova očistiti sredstvom za čišćenje i odmašćivanje /npr. "Henkel" - Teroson VR 20 ili Teroson FL+ /.

NAPOMENA:


Lijepljenjem rezova, kao i svih spojeva profila sa ljepilima za metal, osigurava se potrebna zrako i vodonepropusnosti spoja kao i dodatna mehanička čvrstoća spoja.

PROCEDURE FOR JOINING PROFILES:


1. Clean and degrease all surfaces- cuts to be joined with an appropriate agent
/e.g. "Henkel" - Teroson VR 20 or Teroson FL+ /.
2. Coat all surfaces to be joined with metal adhesive
/e.g. "Henkel" - Teroson MS 939 /.
3. Align and connect profiles with connectors
4. After joining profiles, fill all profile joints with metal adhesive
/e.g. "Henkel" - Teroson MS 939 /.
5. Clean the part of the adhesive that leaks between the cuts with a cleaning and degreasing agent
/e.g. "Henkel" - Teroson VR 20 or Teroson FL+ /.


NOTE:


Gluing the cuts, as well as all profile joints with metal adhesives, ensures the necessary air and water tightness of the joint as well as additional mechanical strength of the joint.




- Obrada al profila prečke FT-0730F prema profilu rama FT-0722F (spajanje vijcima 3.9x32 DIN 7981)
- Processing of al mullion profile FT-0730F towards frame profile FT-0722F (connection with screws 3.9x32 DIN 7981)










- Obrada al profila prečke FT-0730F prema profilu rama FT-0722F i niskog praga(F-1377,F-1378 i F-1739) (spajanje vijcima 3.9x32 DIN 7981)
- Processing of al mullion profile FT-0730F towards frame profile FT-0722F and low threshold (F-1377,F-1378 and F-1739) (connection with screws 3.9x32 DIN 7981)











- Obrada al profila prečke FT-0731F prema profilu rama FT-0722F (spajanje veznikom 710.066)
- Processing of al mullion profile FT-0731F towards frame profile FT-0722F (connection with joint 710.066)























Hprečke(FT-0731F)=MH-46




- Obrada al profila prečke FT-0731F prema profilu krila FT-0725F (spajanje veznikom 710.066)
- Processing of al mullion profile FT-0731F towards sash profile FT-0725F (connection with joint 710.066)










art. 220.041







- Obrada al profila prečke FT-0735F prema profilu rama FT-0722F (spajanje vijcima 3.9x32 DIN 7981)
- Processing of al mullion profile FT-0735F towards frame profile FT-0722F (connection with screws 3.9x32 DIN 7981)











- Obrada al profila prečke FT-0730F prema profilu rama FT-0722F i niskog praga(F-1377,F-1378 i F-1739) (spajanje vijcima 3.9x32 DIN 7981)
- Processing of al mullion profile FT-0730F towards frame profile FT-0722F and low threshold (F-1377,F-1378 and F-1739) (connection with screws 3.9x32 DIN 7981)
























Obrada al. profila prečke FT-0736F glodalom prema profilu rama FT-0722F
Processing of al. mullion profile FT-0736F with milling tool towards frame profile FT-0722F






- Obrada al profila gornje i donje vodoravnice rama FT-0722F prema profilu prečke FT-0736F (spajanje vijcima 3.5x32 DIN 7981) (zrcalno obraditi gornju i donju vodoravnicu rama)
- Processing of the al profile of the upper and lower horizontal frame FT-0722F
- according to the crossbar profile FT-0736F
  (joining with screws 3.5x32 DIN 7981) (mirror process the upper and lower horizontal lines)







nakon montaže vijka, silikonirati otvor
after montage of the screwes, siliconize hole





- Prikaz obrada al profila rama FT-0722F i FT-0736F te njihovo spajanje (spajanje vijcima 3.5x32 DIN 7981)
- - Presentation of the processing of the frame profiles FT-0722F and FT-0736F
- and their connection (connection with screws 3.5x32 DIN 7981)






- Obrada al profila prečke FT-0737F prema profilu rama FT-0722F (spajanje vijcima 4.2x32 DIN 7981)
- Processing of al mullion profile FT-0737F towards frame profile FT-0722F (connection with screws 4.2x32 DIN 7981)






OBRADA PROFILA FT-0725F ZA RUČKU 108.001, Hautau
PROFILE PROCESSING FT-0725F FOR HANDLE 108.001, Hautau




PRESJEK D-D
CROSS SECTION D-D




osa ručke od dna krila GH=406 (za bravu veličina 180)
osa ručke od dna krila GH=1006 (za bravu veličina 210,240,270)
osa ručke od dna krila GH=1000 (NISKI PRAG) (za bravu veličina 210,240,270)
handle axis from bottom of sash GH=406 (for lock size 180)
handle axis from bottom of sash GH=1006 (for lock size 210,240,270)
handle axis from bottom of sash GH=1000 (LOW THRESHOLD) (for lock size 210,240,270)


PRESJEK B-B




PRESJEK A-A




PRESJEK B-B






- za bravu Atrium Alu-HS 200 (Hautau)
- for the lock Atrium Alu-HS 200 (Hautau)


OBRADA PROFILA FT-0727 ZA RUČKU 108.010 i 108.011, Hautau
PROFILE PROCESSING FT-0727 FOR HANDLE 108.010 i 108.011, Hautau




PRESJEK D-D
CROSS SECTION D-D




PRESJEK A-A




PRESJEK B-B




PRESJEK B-B






- za bravu Atrium Alu-HS 120 (Hautau)
- for the lock Atrium Alu-HS 120 (Hautau)

OBRADA PROFILA FT-0725F ZA RUČKU 108.008, Hautau
PROFILE PROCESSING FT-0725F FOR HANDLE 108.008, Hautau




PRESJEK D-D
CROSS SECTION D-D




osa ručke od dna krila GH=406 (za bravu veličina 180)
osa ručke od dna krila GH=1006 (za bravu veličina 210,240,270)
osa ručke od dna krila GH=1000 (NISKI PRAG) (za bravu veličina 210,240,270)
handle axis from bottom of sash GH=406 (for lock size 180)
handle axis from bottom of sash GH=1006 (for lock size 210,240,270)
handle axis from bottom of sash GH=1000 (LOW THRESHOLD) (for lock size 210,240,270)


PRESJEK B-B




PRESJEK A-A




PRESJEK B-B







- za bravu Atrium Alu-HS 200 (Hautau)
- for the lock Atrium Alu-HS 200 (Hautau)


OBRADA PROFILA FT-0725F ZA RUČKU 108.007, Hautau
PROFILE PROCESSING FT-0725F FOR HANDLE 108.007, Hautau



PRESJEK D-D
CROSS SECTION D-D









PRESJEK A-A


POGLED
Obrada za vanjski rukohvatnik
VIEW
Processing for the outer handle




PRESJEK B-B




PRESJEK C-C






- za bravu Atrium Alu-HS 200 (Hautau)
- for the lock Atrium Alu-HS 200 (Hautau)


OBRADA PROFILA FT-0725F ZA RUČKU 108.006, Hautau
PROFILE PROCESSING FT-0725F FOR HANDLE 108.006, Hautau







- za bravu Atrium Alu-HS 200 (Hautau)
- for the lock Atrium Alu-HS 200 (Hautau)


OBRADA PROFILA FT-0727 ZA RUČKU 108.010,108.011 i 108.012, Hautau
PROFILE PROCESSING FT-0727 FOR HANDLE 108.010, 108.011 and 108.012, Hautau







POGLED
Obrada za vanjski rukohvatnik
VIEW
Processing for the outer handle












- za bravu Atrium Alu-HS 120 (Hautau)
- for the lock Atrium Alu-HS 120 (Hautau)



R8
Ø12
Ø20
40
92
154
195
308
52
30
A
B
handle axis osa ručke
OBRADA PROFILA FT-0725F ZA RUČKU 100.016 Hautau
PROFILE PROCESSING FT-0725F FOR HANDLE 100.016 Hautau
100,6
26
52
15,9
20
FT-0725F
A-A
55,7
POMOĆNO KRILO
AUXILIARY DOOR WING
30
42
100.016.01
02
03
GLAVNO KRILO
MAIN DOOR WING
GLAVNO KRILO
MAIN DOOR LEAF
12
24
9
FT-0725F
B-B
POMOĆNO KRILO
AUXILIARY DOOR WING




Obrada al. profila F-1528 i pvc profila 374.075
(za profil krila FT-0725F)
mjera pilanja H(F-1528)=Hkrila

Processing al. profile F-1528 and PVC profile 374.075
(for wing profile FT-0725F)
sawing measure H(F-1528)=Hwing










Obrada al. profila F-1528 (ZA NISKI PRAG) i pvc profila 374.075
(za profil krila FT-0725F)
mjera pilanja H(F-1528)=Hkrila

Processing al. profile F-1528 (FOR LOW THRESHOLD) and pvc profile 374.075 (for wing profile FT-0725F)
sawing measure H(F-1528)=Hwing










Obrada al. profila F-1528 i pvc profila 374.075
(za profil prečke FT-0730F)
mjera pilanja H(F-1528)=MH-56


Processing al. profile F-1528 and PVC profile 374.075
(for crossbar profile FT-0730F)
sawing measure H(F-1528)=MH-56






Obrada al. profila F-1528 i pvc profila 374.075
(za profil prečke FT-0730F) -NISKI PRAG
mjera pilanja H(F-1528)=MH-40.3
Processing al. profile F-1528 and PVC profile 374.075
(for crossbar profile FT-0730F) -LOW THRESHOLD
sawing measure H(F-1528)=MH-40.3











Obrada al. profila F-1528 i pvc profila 374.088
(za profil krila FT-0727)
mjera pilanja H(F-1528)=Hkrila

Processing al. profile F-1528 and PVC profile 374.088
(for wing profile FT-0727)
sawing measure H(F-1528)=Hwing











Obrada al. profila F-1528 (ZA NISKI PRAG) i pvc profila 374.088 (za profil krila FT-0727)
mjera pilanja H(F-1528)=Hkrila

Processing al. profile F-1528 (FOR LOW THRESHOLD) and pvc profile 374.088 (for wing profile FT-0727)
sawing measure H(F-1528)=Hwing




Obrada al. profila F-1528 i pvc profila 374.088
(za profil prečke FT-0735F)
mjera pilanja H(F-1528)=MH-56

Processing al. profile F-1528 and PVC profile 374.088
(for crossbar profile FT-0735F)
sawing measure H(F-1528)=MH-56




Obrada al. profila F-1528 i pvc profila 374.088
(za profil prečke FT-0735F) -NISKI PRAG
mjera pilanja H(F-1528)=MH-40.5

Processing al. profile F-1528 and PVC profile 374.088
(for crossbar profile FT-0735F) -LOW THRESHOLD
sawing measure H(F-1528)=MH-40.5




Obrada al. profila F-1793 i pvc profila 374.121
(za profil krila FT-0728)
mjera pilanja H(F-1793)=Hkrila


Processing al. profile F-1793 and PVC profile 374.121
(for wing profile FT-0728)
sawing measure H(F-1793)=Hwing





Obrada al. profila F-1793 i pvc profila 374.121
(za profil prečke FT-0737F)
mjera pilanja H(F-1793)=MH-56


Processing al. profile F-1793 and PVC profile 374.121
(for crossbar profile FT-0737F)
sawing measure H(F-1793)=MH-56






FT-0725F
FT-0725F
F-1528
28
L(F-1444)=ML/2-84.1
56,1
FT-0730F
22
15,5
1
15,7
11,2
4,5
67,2
51,4
1
L(F-1444)=ML/2-84.1
11,2
15,7
67,2
24,8
F-1444
1-1


FT-0727
FT-0727
F-1528
FT-0722F
28
L(F-1444)=ML/2-73.7
45,7
FT-0735F
22
15,5
1
15,7
11,2
4,5
67,2
51,4
1
L(F-1444)=ML/2-73.7
11,2
15,7
67,2
24,8
F-1444
1-1



41.5
FT-0727
FT-0728
F-1793
FT-0722F
28
L(F-1444)=ML/2-53
25
FT-0737F



22
15,5
1
15,7
11,2
4,5
67,2
51,4
1
L(F-1444)=ML/2-53
15,7
11,2
67,2
24,8
F-1444
1-1


FT-0722F
F-1381
F-1380
F-1528
FT-0730F
F-1378
F-1377



85
30
85
30
85
30
5
6
2.2
75.4
52.8
L(F-1381)=ML/2-108.9
56,1


F-1381



FT-0722F
F-1381
F-1380
F-1528
FT-0735F
F-1378
F-1377



85
30
85
30
85
30
52.8
L(F-1381)=ML/2-98.5
45,7
5
6
2.2
75.4


F-1381



28
L(F-1380)=ML/2-84
56
FT-0730F



22
15
7
1
15,7
11,2
4,5
67
51
1
L(F-1380)=ML/2-84
67,2
F-1380
1-1
24,8



FT-0722F
F-1380
347.004



28
L(F-1380)=ML/2-73.7
FT-0735F
45,7


22
15,7
1
15,7
11,2
4,5
67
51
1
L(F-1380)=ML/2-73.7
67,2
F-1380
1-1
24,8



FT-0722F
F-1380
347.004




126
FT-0722F
53,3
F-1444
H(F-1445)=MH-106.6
MH=
1
1
F-1444
53,3
FT-0722F
25,2
F-1445
1-1
67,2


FT-0722F
52.8
F-1380
H (F-1380)=MH-65
MH=
F-1381
12,3
FT-1377
24,8
F-1380
1-1
67.2

SPAJANJE PROFILA PRAGA SA PROFILOM RAMA POMOĆU UMETKA
JOINING THE THRESHOLD PROFILE WITH THE FRAME PROFILE USING AN INSERT



POSTUPAK SPAJANJA PROFILA :


1. Sve površine koje se spajaju-rezove očistiti i odmastiti odgovarajućim sredstvom
   /npr. "Henkel" - Teroson VR 20 ili Teroson FL+ /.
2. Na profilu praga premazati sve površine koje se spajaju ljepilom za metal
   /npr. "Henkel" - Teroson MS 939 /.
2.1. Ljepilo za metal ubrizgati u komore profila praga na mjestima gdje ulazi umetak (po opsegu komore)
3. Profil praga i umetak izravnati i spojiti.
4. Profil praga sa spojenim umetkom izravnati i spojiti sa profilom rama.
5. Nakon spajanja profila, sve spojeve profila i umetka ispuniti ljepilom za metal
   /npr. "Henkel" - Teroson MS 939 /.
6. Dio ljepila koji iscuri između rezova očistiti sredstvom za čišćenje i odmašćivanje
   /npr. "Henkel" - Teroson VR 20 ili Teroson FL+ /.


NAPOMENA:
Lijepljenjem rezova, kao i svih spojeva profila sa ljepilima za metal, osigurava se potrebna zrako i vodonepropusnosti spoja kao i dodatna mehanička čvrstoća spoja.


PROCEDURE OF PROFILE MERGE:


1. Clean and degrease all surfaces that are connected - cuts with a suitable agent
/eg "Henkel" - Teroson VR 20 or Teroson FL+ /.
2. On the threshold profile, coat all surfaces that are joined with metal glue /eg "Henkel" - Teroson MS 939 /.
2.1. Inject the metal glue into the chambers of the threshold profile onplaces where the insert enters (according to the circumference of the chamber)
3. Align and connect the threshold profile and the insert.
4. Straighten and connect the threshold profile with the connected insert with frame profile.
5. After connecting the profile, fill all the joints of the profile and the insert with metal glue /eg "Henkel" - Teroson MS 939 /.
6. Clean the part of the glue that leaks between the cuts with a cleaning and degreasing agent
/eg "Henkel" - Teroson VR 20 or Teroson FL+ /.


REMARK:
By gluing cuts, as well as all profile joints with with adhesives for metal, the necessary is ensured air and water tightness of the joint as well as additional mechanical strength of the joint.






FT-0722F
pvc čep
375.065
F-1377
F-1378
vijci 3.9x25 DIN 7981



MH=
A
17,5
8,2
Ø4
Ø4
13,3
12,3
8,7
Ø4
Ø4
A
4,3



125,9
8,9
26
16,5
6
Ø9
Ø9
Ø9
Ø9
A-A
FT-0722F
21,4
22
5,5






43,7
L(F-1379)=ML-87.4
43,7
ML



43.7
ML=
L(F-1379)=ML-87.4
43.7






126
FT-0730F
vijak 3.9x25 DIN 7981
F-1377
Ø4
Ø4
35.2
10



31
L (F-1377)=ML-62
ML=
31



31
L (F-1377)=ML-62
ML=
Lprečke=ML/2+44.6
52.2
18.2
31






126
FT-0735F
vijak 3.9x25 DIN 7981
M 1:2
F-1377
Ø4
Ø4
35.2
10



31
L (F-1377)=ML-62
ML=
31



31
Lprečke=ML/2+34.2
L (F-1377)=ML-62
ML=
52.2
18.2
31



ML=
L(F-1231)=ML-48
22
2
20
svako max.400
svako max.400
20
22
2
1
Ø9
Ø4.5
1



40
F-1231
1-1
pvc čep
375.018
FT-0722F



ML=
L(F-1231)=ML-44.4
20.2
2
20
svako max.400
svako max.400
20
20.2
2
1
Ø9
Ø4.5
1


40
F-1231
1-1
pvc čep
375.018
FT-0720F



ML=
L(F-1231)=ML-44.4
20.2
2
20
svako max.400
svako max.400
20
20.2
2
1
Ø9
Ø4.5
1



40
F-1231
1-1
pvc čep
375.018
FT-0721F






obrada FT-0733F
kada su čep 363.101
processing FT-0733F
for cap 363.101






Presjek 1-1
Cross section
FT-0733F


Opcija
Option





Montaža niski prag, obraditi čep 363.101
Montage of treshold, processing cap 363.101




obrada FT-0733F
kada su čep 363.101
processing FT-0733F
for cap 363.101











Presjek 1-1
Cross section
FT-0733F


433.109
vijci 3.9x32 DIN 7982
čep 363.049
brtva 344.075
krilo
FT-0725F
20
20
svako cca.300 mm
svako cca.300 mm
svako cca.300 mm
svako cca.300 mm
20
20
H(F-1532)=Hkrila-40
Hkrila=
F-1532
brtva 344.048
čep 363.049
433.109
vijci 3.9x32 DIN 7982
433.004
vijci 3.5x16 DIN 7981
F-1532
Ø8
7.2
M 2:1



krilo
FT-0725F
433.109
vijci 3.9x32 DIN 7982
čep 363.049
brtva 344.075
FT-0732F
20
20
svako cca.300 mm
svako cca.300 mm
svako cca.300 mm
svako cca.300 mm
20
20
Hkrila=
H(FT-0732F)=Hkrila-40
433.011
vijci 3.5x50 DIN 7981
433.004
vijci 3.5x16 DIN 7981
Ø3.6
FT-0732F
M 2:1
Ø10
Ø8
7.2
čep 363.049
brtva 344.048
433.109
vijci 3.9x32 DIN 7982


375.067
375.066



F-1528
donji čep maske krila 375.066
čep i komore između čepa i krila, maske F-1302 i pvc profila popuniti silikonom
cap and chambers between cap and wing, mask F-1302 and fill the PVC profile with silicone



FT-0730F
F-1377
F-1379
F-1378
gumeni umetak
361.029
spojeve gumenog umetak 361.029 i aluminija
silikonirati
joints of rubber insert 361.029 and aluminum
fill with silicone





FT-0730F
F-1377
F-1379
F-1378
gumeni umetak
361.029
spojeve gumenog umetak 361.029 i aluminija
silikonirati
joints of rubber insert 361.029 and aluminum
fill with silicone




Ugradnja umetka s četkicom 340.517 na spojevima dva krila započinjemo obradom pvc-a 378.001 koji se uvlači na gornju vodoravnicu rama, nakon kojeg može uslijediti sama ugradnja umetka, ovakva vrsta ugradnje odnosi se samo na sheme prikazane iznad.

The installation of the insert with a brush 340.517 at the joints of the two wings begins with the processing of PVC 378.001, which is inserted into the upper horizontal line of the frame, which can be followed by the installation of the insert itself, this type of installation applies only to the schemes shown above.






433.104 - vijak 3,9x13 mm
DIN 7981 Inox A2





433.106 - vijak 3,9x19 mm
DIN 7981 Inox A2


Ugradnja umetka s četkicom 340.515 na spojevima dva krila

The installation of the insert with a brush 340.515 at the joints of the two wings












Ugradnja umetka 360.014 na spojevima dva krila

The installation of the insert 360.014 at the joints of the two wings









Ugradnja umetka s četkicom 340.041 na spojevima krila s prečkom

Installation of insert with brush 340.041 on the joints of the sash with the crossbar







433.104 - vijak 3,9x13 mm
DIN 7981 Inox A2




Ugradnja umetka s četkicom 340.521 na spojevima krila s prečkom

Installation of insert with brush 340.521 on the joints of the sash with the crossbar







Ugradnja umetka 364.018 na spojevima krila FT-0725F s prečkom FT-0730F

Ugradnja umetka 364.019 na spojevima krila FT-0727 s prečkom FT-0735


Ugradnja umetka 364.020 na spojevima krila FT-0728 s prečkom FT-0737

Installation of insert 364.018 on the joints of the sash FT-0725F with the crossbar FT-0730F


Installation of insert 364.019 on the joints of the sash FT-0727 with the crossbar FT-0735

Installation of insert 364.020 on the joints of the sash FT-0728 with the crossbar FT-0737


364.018





364.019





364.020















100,6
A
20
A



55,7
krilo FT-0725F
pvc odbojnik krila
375.020
35



krilo FT-0727
35






krilo FT-0725F
20
Ø
Ø8,2
Ø3
odbojnik
krila 375.020
433.020
















ukoliko brava podizno kliznog
i kliznog mehanizma onemogućava ugradnju usmjerivača krila potrebno je skratiti na vrhu. (100 mm od vrha krila potrebno za ugradnju usmjerivača)
if the lift&slide and slide mechanism lock prevents mounting wing router, it is required to shorten it at the top. (100 mm from the tip of the wing required for router mounting)


373.061 usmjerivač za krilo FT-0727
373.060 usmjerivač za krila FT-0725F
-2 kom. po krilu
-mogućnost ugradnje nakon postavljanja krila u ram
-koristiti za klizna i podizno klizna vrata
373.061 wing router FT-0727
373.060 wing router FT-0725F
-2 pcs. on the wing
-possibility of installation after inserting the wings in frame
-use for sliding and lift-sliding doors










spoj između prečke i praga ispuniti dvokomponentnim ljepilom tipa:
Wurth 2K-PUR - 0892 135
fill the joint between the crossbar and the threshold with two-component glue type:
Wurth 2K-PUR - 0892 135




spoj između maske prečke i praga ispuniti dvokomponentnim ljepilom tipa:
Wurth 2K-PUR - 0892 135
fill the joint between the crossbar mask and the threshold with two-component glue type:
Wurth 2K-PUR - 0892 135







spoj između vertikalnog pojasa rama, pvc čepa i praga ispuniti dvokomponentnim ljepilom tipa: Wurth 2K-PUR - 0892 135
F-1381
FT-0722F
pvc čep 375.065
F-1377
F-1378
F-1380
347.004
F-1380
F-1381
pvc čep 375.065
F-1377
F-1378


x silikonirati na sredini u utoru za vodilicu cca. 100 mm
⊗ silicone approx. 10 mm at the ends and in the middle
z rupa Ø6 na sredini na vanjskoj komori rama za popunjavanje silikonom komore (odvajanje komora)
Ⓩ hole Ø6 in the middle of the outer chamber of the frame for filling the chamber with silicone (separation of the chambers)
a rupe Ø6 na sredini pvc umetka sa popunjavanje komora na sredini između pvc umetka i rama (cca 10 mm)
ⓐ holes Ø6 in the middle of the PVC insert with chamber filling in the middle between the PVC insert and the frame (approx. 10 mm)



silikonirati spojeve između gumenog umetka pvc profila i rama
silicone the joints between the rubber insert of the PVC profile and the frame




1 ..... žlijeb 32x7 za kapicu za kondezat sa klapnom 370.070
1 ..... groove 32x7 for condensate cap with flap 370.070
2 ..... rupa Ø15 mm
2 ..... hole Ø15 mm
3 ..... rupa Ø12 mm
3 ..... hole Ø12 mm




na krajevima i sredini silikonirati cca.10 mm
apply silicone approx. 10 mm at the ends and in the middle


NAPOMENA: prikazana je obrada za ram FT-0720F i pvc profil 378.001.
NOTE: the processing shown is for the FT-0720F frame and PVC profile 378.001.

1. Po unutarnjem obodu vanjske komore bez prekida primjeniti neutralno silikonsko lijepilo (npr. Teroson MS 939)
2. U komoru za kutnu spojnicu umetnuti umetak
3. Spojiti profile s kutnim spojnicama koji će i ujedno pozicionirati umetak 340.331 na željeno mjesto
1. Apply neutral silicone adhesive (e.g. Teroson MS 939) along the inner perimeter of the outer chamber without interruption
2. Insert the insert into the corner joint chamber
3. Connect the profiles with the corner joints, which will also position the insert 340.331 in the desired location


1. Po unutarnjem obodu vanjske komore bez prekida primjeniti neutralno silikonsko ljepilo (npr. Teroson MS 939)
2. U komoru za kutnu spojnicu umetnuti umetak
3. Spojiti profile s kutnim spojnicama koji će i ujedno pozicionirati umetak na željeno mjesto
1. Apply neutral silicone adhesive (e.g. Teroson MS 939) along the inner perimeter of the outer chamber without interruption.
2. Insert the insert into the corner joint chamber
3. Connect the profiles with corner connectors which will also position the insert in the desired location.
na krajevima i sredini spojeva krila silikonirati cca.10mm
Apply silicone approx. 10mm at the ends and middle of the wing joints
x silikonirati na sredini u utoru za vodilicu cca. 100 mm
silicone in the middle of the guide groove approx. 100 mm
z rupa Ø6 na sredini na vanjskoj komori rama za popunjavanje silikonom komore (odvajanje komora)
hole Ø6 in the middle of the outer chamber of the frame for filling the chamber with silicone (separation of the chambers)
a rupe Ø6 na sredini pvc umetka sa popunjavanje komora na sredini između pvc umetka i rama (cca 10 mm)
holes Ø6 in the middle of the PVC insert with chamber filling in the middle between the PVC insert and the frame (approx. 10 mm)
silikonirati spojeve između gumenog umetka pvc profila i rama
silicone the joints between the rubber insert of the PVC profile and the frame
gumeni umetak 360.014...ram FT-0721F
rubber insert 360.014...frame FT-0721F
gumeni umetak 54x15.3x110
FT-0721F
1..... žlijeb 32x7 za kapicu za kondezat sa klapnom 370.070
1..... groove 32x7 for condensate cap with flap 370.070
2..... rupa Ø15 mm
2..... hole Ø15 mm
3..... rupa Ø12 mm
3..... hole Ø12 mm
4..... žlijeb 40x4
4..... groove 40x4
svako 200 mm
374.026
340.331
370.070
gumeni umetak
unutra
inside
vani
outside





1..... žlijeb 40x8
1..... groove 40x8
2..... rupa Ø12 mm
2..... hole Ø12 mm
3..... žlijeb 40x8
3..... groove 40x8
4..... žlijeb 40x4
4..... groove 40x8
5..... rupa Ø5 mm
5..... hole Ø5 mm
6..... žlijeb 32x7 za kapicu za kondezat sa klapnom 370.070
6..... groove 32x7 for condensate cap with flap 370.070



silikonirati spojeve između gumenog umetka i rama
silicone the joints between the rubber insert and the frame


kroz rupe Ø5 popuniti komore silikonom (Teroson MS 939 oko xps umetaka na sredini ili popuniti komore silikonom) zbog odvajanja komora.
through the Ø5 holes fill the chambers with silicone
(Teroson MS 939 around the xps inserts in the middle or fill the chambers with silicone) due to the separation of the chambers.






silikonirati spojeve između gumenog umetka pvc profila i rama
silicone the joints between the rubber insert of the PVC profile and the frame


Ⓧ silikonirati na sredini u utoru za vodilicu cca. 100 mm
Ⓧ silicone in the middle of the guide groove cca. 100 mm




izolacijski umetak 340.013 zasjeći na mjestima za odvod kapljevina cca.100 mm x10 mm
insulating insert 340.013 cut in places for draining liquid approx. 100 mm x10 mm

gumeni umetak 360.015 (FT-0722F)





LIJEPLJENJE ISPUNE ZA PODLOGU
U uvjetima veće izloženosti vrata padalinama,radi mogućeg prodora kapljevina,preporučuje se lijepljenje ispune 340.013 za podlogu i spoj sa staklom neutralnim ljepilom (npr. "Henkel" - Teroson MS 939), prema crtežu.
**
GLUING THE FILLING TO THE SUBSTRATE
In conditions where the door is more exposed to precipitation, due to possible penetration of liquids, it is recommended to glue the filling 340.013 to the substrate and the joint with a glass neutral adhesive (e.g. "Henkel" - Teroson MS 939), according to the drawing.



1. Po unutarnjem obodu vanjske komore bez prekida primjeniti neutralno silikonsko lijepilo (npr. Teroson MS 939)
2. U komoru za kutnu spojnicu umetnuti umetak
3. Spojiti profile s kutnim spojnicama koji će i ujedno pozicionirati umetak na željeno mjesto


1. Apply neutral silicone adhesive (e.g. Teroson MS 939) along the inner perimeter of the outer chamber without interruption
2. Insert the insert into the corner joint chamber
3. Connect the profiles with corner joints, which will also position the insert in the desired location

FEAL

TERMO 120

Obrada i montaža

Processing and montage





** silikonirati spojeve između izolacionog umetka i pvc podmetača (npr. Teroson MS 939)

** silicone the joints between the insulation insert and PVC washer (eg Teroson MS 939)

1. Po unutarnjem obodu vanjske komore bez prekida primjeniti neutralno silikonsko lijepilo (npr. Teroson MS 939)
2. U komoru za kutnu spojnicu umetnuti umetak
3. Spojiti profile s kutnim spojnicama koji će i ujedno pozicionirati umetak na željeno mjesto

1. Apply neutral silicone adhesive (e.g. Teroson MS 939) along the inner perimeter of the outer chamber without interruption
2. Insert the insert into the corner joint chamber
3. Connect the profiles with corner joints, which will also position the insert in the desired location


1. Po unutarnjem obodu vanjske komore bez prekida primjeniti neutralno silikonsko ljepilo (npr. Teroson MS 939)
2. U komoru za kutnu spojnicu umetnuti umetak
3. Spojiti profile s kutnim spojnicama koji će i ujedno pozicionirati umetak na željeno mjesto
1. Apply neutral silicone adhesive (e.g. Teroson MS 939) along the inner perimeter of the outer chamber without interruption
2. Insert the insert into the corner joint chamber
3. Connect the profiles with corner joints, which will also position the insert in the desired location
1 .....žljeb 30x6
1 .....groove 30x6
svako cca.600 mm
every approx. 600 mm
FT-0727
XPS umetak 340.540
340.540
Lkrila=
200
50
30
150
25
55.7
80
8.4
5.5
6



bočni čep sakupljača kapljevina
side liquid collector plug

sakupljač kapljevina F-1480
liquid collector F-1480


maska F-1478
mask F-1478

FT-0722F


dio pvc čepa 375.065 što prolazi mimo rama FT-0722F potrebno je skratiti u liniji sa vanjskom stranom rama
The part of the PVC plug 375.065 that passes past the FT-0722F frame needs to be shortened in line with the outer side of the frame.

spojeve između al čepa i sakupljača kapljevina F-1480 i umetka F-1479 i rama FT-0722F obavezno silikonirati
joints between the aluminum plug and the liquid collector F-1480 and the insert F-1479 and the frame FT-0722F must be siliconed

umetak F-1479
insert F-1479




FT-0722F





sakupljača kapljevina F-1480
liquid collector F-1480


bočni čep sakupljača kapljevina
side collector plug liquid


433.116
(vijak 4.2x13 DIN 7982)



svako cca.400
approx. every 400
svako cca.400
approx. every 400
svako cca.400
approx. every 400
svako cca.400
approx. every 400
ML=
31
50
30
A
85
107





F-1377
5
157
A-A
M 2.5:1
4.5
F-1378


F-1377
157
M 2.5:1
F-1378
⊗silikonirati na sredini cca.20 mm


B
B
B
B
B
B
A
A
A
A
A
A
60
ML=
85
svako cca.400
svako cca.400
approx. every 400 approx. every 400
107
31


F-1479
344.068
Ø10
179.5
F-1378
Ø12
F-1480
F-1478
85
B-B
M 2:1



F-1479
Ø10
179.5
F-1378
Ø12
F-1480
F-1478
85
A-A
M 2:1

1. UGRADNJA KOTAČIĆA PODIZNO KLIZNOG MEHANIZMA HS-330
- kotačiće povezati spojnicom
- mjera pilanja spojnice je Lkr-640
- ugradnja pvc podmetača

1. INSTALLATION OF THE WHEELS OF THE LIFT-SLIDE MECHANISM HS-330
- connect the wheels with a connecting bar
- the connecting bar sawing lenght is Lkr-640
- installation of PVC pads


1.OKOV HS 330- npr. Shema A (jedno krilo p.k+jedno fiksno)
-krilo FT-0725F
-širina krila (Lkr) .....720-3235 mm
-visina krila (Hkr).....1200-2700 mm
-težina krila.....max.330 kg
-osa brave.....27.5 mm
-osa ručke.....1006 mm

1.HARDWARE HS 330 - e.g. Scheme A (one l.s. wing + one fixed)
- wing FT-0725F
- wing width (Lkr) .....720-3235 mm
- wing height (Hkr).....1200-2700 mm
- wing weight.....max. 330 kg
- axis of the lock.....27.5 mm
- axis of the handle.....1006 mm




2. UGRADNJA KOTAČIĆA PODIZNO KLIZNOG MEHANIZMA HS-330 U KRILO
- ubaciti spojene kotačiće u krilo i fiksiranje

2. INSTALLATION OF THE HS-330 LIFT-SLIDE MECHANISM WHEELS INTO THE SASH
- insert the connected wheels into the sash and fix them



3. UGRADNJA KOTAČIĆA PODIZNO KLIZNOG MEHANIZMA HS-330 U KRILO
- fiksiranje kotačića i ugradnja odmarača krila

3. INSTALLATION OF THE HS-330 LIFT-SLIDE MECHANISM WHEELS INTO THE Sash
- fixing the wheels and installing the sash rest




1. UGRADNJA BRAVE PODIZNO KLIZNOG MEHANIZMA HS-330

- skratiti bravu ovisno o visini krila
- mjera pilanja spojnice je Hkr-108
- ugradnja pvc podmetača
- ugradnja nastavka za krila veća od 2700 mm
- ugradnja brave u krilo


1. INSTALLATION OF THE LOCK FOR THE LIFT-SLIDE MECHANISM HS-330

- shorten the lock depending on the height of the sash
- the sawing size of the joint is Hkr-108
- installation of PVC pads
- installation of an extension for sashes larger than 2700 mm
- installation of the lock in the sash





1. UGRADNJA BRAVE PODIZNO KLIZNOG MEHANIZMA HS-330
   - pričvrstiti bravu vijcima 4.8x55 (upuštena glava)
   - ugradnja ručke i prihvatnika


1. INSTALLATION OF THE LOCK OF THE LIFT-SLIDE MECHANISM HS-330
- fasten the lock with screws 4.8x55 (countersunk head)
- installation of the handle and striker




NAPOMENA: UKOLIKO SE KORISTI KLIZNI OKOV 149.039 OBRADA JE ISTA. (KRILO MOŽE BITI TEŽINE 330 kg)
NOTE: IF SLIDING HARDWARE 149.039 IS USED, THE PROCESSING IS THE SAME. (THE SASH CAN WEIGH 330 kg)










Z3= FB-69







Z3= FB-69






Z3= FB-107





Z3a= FB-69
Z3b= FB-107



FB-širina krila


- pozicija usporivača (dio na ramu)....149.032

FB-sash width


- slower position (part on the frame)....149.032

MONTAŽA OPRUGE ZA LAGANO POKRETANJE RUČKE PODIZNO KLIZNOG MEHANIZMA
INSTALLING THE SPRING FOR SOFT MOVEMENT OF THE LIFT-SLIDE MECHANISM HANDLE

Opruga za težine krila
Spring for wing weights
≤ 200 kg




Opruga za težine krila
Spring for wing weights
> 200 kg




A..... Postaviti bravu u dignuti položaj (otključano) (A.1/A.2).
B..... Postaviti zatik u određeni položaj na bravi (već postoji rupa na bravi)
C..... Postaviti oprugu unutar brave
D..... Povući kraj zatezne opruge preko zuba na bravi (pomoću odvijača) (D.1/D.2).
E..... Ispravno namontirana opruga

A..... Place the lock in the raised position (unlocked) (A.1/A.2).
B..... Place the pin in a specific position on the lock (there is already a hole on the lock)
C..... Position tension spring within the espag.
D..... Pull the end of the tension spring over the teeth on the lock (using a screwdriver) (D.1/D.2).
E..... Correctly mounted spring



Oprez:
Mogućnost loma!
Caution:
Possibility of breakage!


Brava mora biti u dignutom položaju (otključano)
The lock must be in the raised position (unlocked)



A.2


Ključanje
Locking

Izrezivanje termo štapiča (poliamida) radi kompeziranja širenja profila
Cutting of thermo rods (polyamide) to compensate for profile expansion




FT-0725F

Ista obrada primjenjuje se i za malo krilo FT-0727
The same processing is applied to the small sash FT-0727





Pozicija izrezivanja termo štapića (poliamida) na krilu l≈150 mm
Thermo rod cut position (polyamide) on the wing l≈150 mm

Izrezati termo štapiće (poliamide) cca.150 mm
Cut thermal rods (polyamides) approx. 150 mm




Naljepiti jednostrano ljepljivu traku na mjestu reza termo štapića (poliamida)
Stick single-sided adhesive tape on the cut point of the thermo rod (polyamide)






Diletacija pvc profila: 378.001
PVC profile expansion joint: 378.001




1


- Sve površine koje se spajaju-rezove očistiti i odmastiti odgovarajućim sredstvom /npr. "Henkel" - Teroson VR 20 ili Teroson FL+ /.
- Sve površine koje se spajaju (dodirne površine rama i pvc profila) premazati /npr. "Henkel" - Teroson VR 20 ili Teroson FL+ /.
- Ljepilo također ubrizgati u komore između pvc profila i rama cca.10-15 mm
- Nakon spajanja profila, sve spojeve profila i umetka ispuniti ljepilom za metal /npr. "Henkel" - Teroson MS 939 /.
- Dio ljepila koji iscuri između rezova očistiti sredstvom za čišćenje i odmašćivanje /npr. "Henkel" - Teroson VR 20 ili Teroson FL+ /.
- Clean and degrease all joining surfaces - cuts with an appropriate agent /e.g. "Henkel" - Teroson VR 20 or Teroson FL+ /.
- Coat all joining surfaces (contact surfaces of the frame and PVC profile) /e.g."Henkel" - Teroson VR 20 or Teroson FL+ /.
- Also inject the glue into the chambers between the PVC profile and the frame approx. 10-15 mm
- After joining the profiles, fill all joints of the profile and the insert with metal glue /e.g."Henkel" - Teroson MS 939 /.
- Clean the part of the glue that leaks between the cuts with a cleaning and degreasing agent /e.g. "Henkel" - Teroson VR 20 or Teroson FL+ /.




2

- pvc profil u ramu (na poz.2) razdvojiti cca. 10 mm zbog diletacije pvc profila (u donjoj zoni ispod gumenog umetka i u gornjoj zoni između četkica)
- separate the PVC profile in the frame (at pos. 2) approx. 10 mm due to the expansion of the PVC profile (in the lower zone below of the rubber insert and in the upper zone between the brushes)





Ugradnja profila: FT-0734F




1

- Sve površine koje se spajaju-rezove očistiti i odmastiti odgovarajućim sredstvom /npr. "Henkel" - Teroson VR 20 ili Teroson FL+ /.
- Sve površine koje se spajaju (dodirne površine rama i pvc profila) premazati /npr. "Henkel" - Teroson VR 20 ili Teroson FL+ /.
- Ljepilo također ubrizgati u komore između pvc profila i rama cca.10-15 mm
- Nakon spajanja profila, sve spojeve profila i umetka ispuniti ljepilom za metal /npr. "Henkel" - Teroson MS 939 /.
- Dio ljepila koji iscuri između rezova očistiti sredstvom za čišćenje i odmašćivanje /npr. "Henkel" - Teroson VR 20 ili Teroson FL+ /.
- Clean and degrease all joining surfaces - cuts with an appropriate agent /e.g. "Henkel" - Teroson VR 20 or Teroson FL+ /.
- Coat all joining surfaces (contact surfaces of the frame and PVC profile) /e.g."Henkel" - Teroson VR 20 or Teroson FL+ /.
- Also inject the glue into the chambers between the PVC profile and the frame approx. 10-15 mm
- After joining the profiles, fill all joints of the profile and the insert with metal glue /e.g."Henkel" - Teroson MS 939 /.
- Clean the part of the glue that leaks between the cuts with a cleaning and degreasing agent /e.g. "Henkel" - Teroson VR 20 or Teroson FL+ /.

3

silikonirati spoj između al umetka (FT-0734F) i rama po cijeloj dužini kao i spoj sa verikalnim pvc profilom u ramu.


silicone the joint between the aluminum insert (FT-0734F) and the frame along its entire length as well as the joint with the vertical PVC profile in the frame.



2


- gumeni umetak se skrati ili pomakne za cca.10-15 mm da ostane zazor između umetka i profila da u slučaju da pređu kapljevine preko umetka idu ispod profila (FT-0734F) i dalje u ram i vani.
- the rubber insert is shortened or moved by approx. 10-15 mm to leave a gap between the insert and the profile so that in case liquids get over the insert, they go under the profile (FT-0734F) and further into the frame and outside.

Rezne liste
Cutting lists



KLIZNA I PODIZNO-KLIZNA DVOKRILNA VRATA SA KRILOM FT-0725F
SLIDE AND LIFT-SLIDE TWO SASH DOOR WITH SASH FT-0725F


PROFILI PROFILES			kom pcs	mjera measure	pilanje cutting
FT-0720F	ram	frame	2	ML	45-45
FT-0720F	ram	frame	2	MH	45-45
FT-0725F	krilo	sash	4	ML/2+3.7	45-45
FT-0725F	krilo	sash	4	MH-84.5	45-45
F-1528	lajsna	bead	2	Hkr	90-90
F-1231	maska vanjska	external mask profile	1	ML-44.4	90-90
Z40-660	staklo lajsna	glass bead	4	Lkr-157.2	90-90
Z40-660	staklo lajsna	glass bead	4	Hkr-201.2	90-90
F-1676	držač točkića	boogies holder	4	Lkr-50	90-90
F-1112	vodilica	guide profile	2	ML-104	90-90
378.001	pvc po obodu rama	pvc around the frame	2	ML-40.5	45-45
378.001	pvc po obodu rama	pvc around the frame	2	MH-40.5	45-45
374.075	pvc na spoju dva krila	pvc at the joint of two sashs	2	Hkr	90-90
OKOVI HARDWARE					
730.013	kutnik rama	frame corner bracket	8		
710.445	kutnik krila	sash corner bracket	8		
710.504	kutnik krila	sash corner bracket	8		
710.011	kutnik krila	sash corner bracket	16		
730.001	pomoćni kutnik krila	supprt sash corner bracket	8		
373.060	usmjerivač krila	sash guide	4		
375.018	čep profila maske F-1231	mask profile cap	1 par		
375.016	čep maske krila	sash mask cap	4		
375.020	ublaživač udara krila	sash hit bumber	2		
370.070	čep za odvod vode	water drain plug	2		
374.052	pvc podmetač kotača	pvc wheel pad	4	L=200mm	
374.060	pvc podmetač brave	pvc lock pad	2	Hkr	
149.049	pvc podmetač brave 4mm 305466 Hautau kod	pvc lock pad 4mm 305466 Hautau code	2	1 pak.(5 kom)	
340.517	umetak sa četkicom gornji	upper insert with brush	1		
340.515*	umetak sa četkicom donji	lower insert with brush	1		
360.014**	gumeni umetak	rubber insert	1		
BRTVE GASKETS					
318.001	brtva prema staklu	gasket towards glass	4	Hkr+Lkr	
328.007	brtva prema staklu	gasket towards glass	4	Hkr+Lkr	
347.012	brtva na spoju krila	sash joint gasket	4	Hkr	
348.052	brtva u ramu	frame gasket		2ML+4MH	
347.003*	četkasta brtva krila	sash brush gasket		8Lkr+4Hkr	
347.012**	brtva krila	sash gasket		8Lkr+4Hkr	
348.073	brtva na spoju krila krila i prečke	sash joint gasket	2	Hkr	
340.044	izolacijski umetak	insulating insert	2	Hkr	
340.013	izoterm plamaframe	isotherm plamaframe		2ML+4MH	
340.533	xps gornje horiznotale krila	upper horizontal wings xps	2	Lkr-120	
STAKLO GLASS					
44 mm			2	Lkr-177.2 x Hkr-177.2	




- Okov za klizne i podizno-klizne sisteme izabrati iz kataloga str.403.08.01...
- Hardware for slide and lift-slide systems to choose from catalog page 403.08.01...

* koristi se za Termo 120 klizno
* used for Termo 120 sliding

** koristi se za Termo 120 podizno klizno
** used for Termo 120 lifting and sliding





KLIZNA I PODIZNO-KLIZNA TROKRILNA VRATA SA KRILOM
FT-0725F

SLIDE AND LIFT-SLIDE THREE SASH DOOR WITH SASH
FT-0725F





			kom pcs	mjera measure	pilanje cutting
PROFILI PROFILES					
FT-0721F	ram	frame	2	ML	45-45
FT-0721F	ram	frame	2	MH	45-45
FT-0725F	krilo	sash	6	ML/3+32.3	45-45
FT-0725F	krilo	sash	6	MH-84.5	45-45
F-1528	lajsna	bead	4	Hkr	90-90
F-1231	maska vanjska	external mask profile	1	ML-44.4	90-90
Z40-660	staklo lajsna	glass bead	6	Lkr-157.2	90-90
Z40-660	staklo lajsna	glass bead	6	Hkr-201.2	90-90
F-1676	držač točkića	boogies holder	6	Lkr-50	90-90
F-1112	vodilica	guide profile	3	ML-104	90-90
378.001	pvc po obodu rama	pvc around the frame	4	ML-40.5	45-45
378.001	pvc po obodu rama	pvc around the frame	4	MH-40.5	45-45
374.075	pvc na spoju dva krila	pvc at the joint of two sashs	4	Hkr	90-90
OKOVI HARDWARE					
730.013	kutnik rama	frame corner bracket	8		
710.445	kutnik krila	sash corner bracket	12		
710.504	kutnik krila	sash corner bracket	12		
710.011	kutnik krila	sash corner bracket	24		
730.001	pomoćni kutnik krila	supprt sash corner bracket	8		
373.060	usmjerivač krila	sash guide	6		
375.018	čep profila maske F-1231	mask profile cap	1 par		
375.016	čep maske krila	sash mask cap	8		
375.020	ublaživač udara krila	sash hit bumber	4		
370.070	čep za odvod vode	water drain plug	2		
374.052	pvc podmetač kotača	pvc wheel pad	6	L=200mm	
374.060*	pvc podmetač brave	pvc lock pad	2	Hkr	
374.060**	pvc podmetač brave	pvc lock pad	3	Hkr	
149.049*	pvc podmetač brave 4mm 305466 Hautau kod	pvc lock pad 4mm 305466 Hautau code	2	1 pak.(5 kom)	
149.049**	pvc podmetač brave 4mm 305466 Hautau kod	pvc lock pad 4mm 305466 Hautau code	3	1 pak.(5 kom)	
340.517	umetak sa četkicom gornji	upper insert with brush	2		
340.515*	umetak sa četkicom donji	lower insert with brush	2		
360.014**	gumeni umetak	rubber insert	2		
BRTVE GASKETS					
318.001	brtva prema staklu	gasket towards glass	6	Hkr+Lkr	
328.007	brtva prema staklu	gasket towards glass	6	Hkr+Lkr	
347.012	brtva na spoju krila	sash joint gasket	8	Hkr	
348.052	brtva u ramu	frame gasket		3ML+6MH	
347.003*	četkasta brtva krila	sash brush gasket		12Lkr+4Hkr	
347.012**	brtva krila	sash gasket		12Lkr+4Hkr	
348.073	brtva na spoju krila i prečke	sash joint gasket	4	Hkr	
340.044*	izolacijski umetak	insulating insert	4	Hkr	
340.044**	izolacijski umetak	insulating insert	3	Hkr	
340.013	izoterm plamaframe	isotherm plamaframe		2ML+6MH	
340.533	xps gornje horiznotale krila	upper horizontal wings xps	3	Lkr-120	
STAKLO GLASS					
44 mm			3	Lkr-177.2 x Hkr-177.2	

- Okov za klizne i podizno-klizne sisteme izabrati iz kataloga str.403.08.01...
* koristi se za Termo 120 klizno
** koristi se za Termo 120 podizno klizno

- Hardware for slide and lift-slide systems to choose from catalog page 403.08.01...
* used for Termo 120 sliding
** used for Termo 120 lifting and sliding







KLIZNA I PODIZNO-KLIZNA ČETVEROKRILNA VRATA
SA KRILOM FT-0725F


SLIDE AND LIFT-SLIDE FOUR SASH DOOR WITH SASH
FT-0725F


			kom pcs	mjera measure	pilanje cutting
PROFILI PROFILES					
FT-0720F	ram	frame	2	ML	45-45
FT-0720F	ram	frame	2	MH	45-45
FT-0725F	krilo	sash	8	ML/4+22.9	45-45
FT-0725F	krilo	sash	8	MH-84.5	45-45
FT-0733F	profil dodatka krila	addition sash profile	1	Hkr	90-90
F-1528	lajsna	bead	4	Hkr	90-90
F-1231	maska vanjska	external mask profile	1	ML-44.4	90-90
Z40-660	staklo lajsna	glass bead	8	Lkr-157.2	90-90
Z40-660	staklo lajsna	glass bead	8	Hkr-201.2	90-90
F-1676	držač točkića	boogies holder	8	Lkr-50	90-90
F-1112	vodilica	guide profile	2	ML-104	90-90
378.001	pvc po obodu rama	pvc around the frame	2	ML-40.5	45-45
378.001	pvc po obodu rama	pvc around the frame	2	MH-40.5	45-45
374.075	pvc na spoju dva krila	pvc at the joint of two sashs	4	Hkr	90-90
OKOVI HARDWARE					
730.013	kutnik rama	frame corner bracket	8		
710.445	kutnik krila	sash corner bracket	16		
710.504	kutnik krila	sash corner bracket	16		
710.011	kutnik krila	sash corner bracket	32		
730.001	pomoćni kutnik krila	supprt sash corner bracket	16		
373.060	usmjerivač krila	sash guide	8		
375.018	čep profila maske F-1231	mask profile cap	1 par		
375.016	čep maske krila	sash mask cap	8		
375.020	ublaživač udara krila	sash hit bumber	4		
370.070	čep za odvod vode	water drain plug	2		
374.052	pvc podmetač kotača	pvc wheel pad	8	L=200mm	
374.060*	pvc podmetač brave	pvc lock pad	3	Hkr	
374.060**	pvc podmetač brave	pvc lock pad	4	Hkr	
149.049*	pvc podmetač brave 4mm 305466 Hautau kod	pvc lock pad 4mm 305466 Hautau code	3	1 pak.(5 kom)	
149.049**	pvc podmetač brave 4mm 305466 Hautau kod	pvc lock pad 4mm 305466 Hautau code	4	1 pak.(5 kom)	
340.517	umetak sa četkicom gornji	upper insert with brush	2		
340.515*	umetak sa četkicom donji	lower insert with brush	2		
360.014**	gumeni umetak	rubber insert	2		
BRTVE GASKETS					
318.001	brtva prema staklu	gasket towards glass	8	Hkr+Lkr	
328.007	brtva prema staklu	gasket towards glass	8	Hkr+Lkr	
347.011	brtva na spoju krila	sash joint gasket	2	Hkr	
347.012	brtva na spoju krila	sash joint gasket	8	Hkr	
348.052	brtva u ramu	frame gasket		2ML+4MH	
347.003*	četkasta brtva krila	sash brush gasket		16Lkr+4Hkr	
347.012**	brtva krila	sash gasket		16Lkr+4Hkr	
348.073	brtva na spoju krila i prečke	sash joint gasket	4	Hkr	
340.044	izolacijski umetak	insulating insert	4	Hkr	
340.506*	izolacijski umetak	insulating insert	1	Hkr	
340.013	izoterm plamaframe	isotherm plamaframe		2ML+8MH	
340.533	xps gornje horiznotale krila	upper horizontal wings xps	4	Lkr-120	
STAKLO GLASS					
44 mm			4	Lkr-177.2 x Hkr-177.2	



- Okov za klizne i podizno-klizne sisteme izabrati iz kataloga str.403.08.01...
- * koristi se za Termo 120 klizno
- ** koristi se za Termo 120 podizno klizno

- Hardware for slide and lift-slide systems to choose from catalog page 403.08.01...
- * used for Termo 120 sliding
- ** used for Termo 120 lifting and sliding






KLIZNA I PODIZNO-KLIZNA DVOKRILNA VRATA SA KRILOM FT-0727
SLIDE AND LIFT-SLIDE TWO SASH DOOR WITH SASH FT-0727


PROFILI PROFILES			kom pcs	mjera measure	pilanje cutting
FT-0720F	ram	frame	2	ML	45-45
FT-0720F	ram	frame	2	MH	45-45
FT-0727	krilo	sash	4	ML/2+7.7	45-45
FT-0727	krilo	sash	4	MH-84.5	45-45
F-1528	lajsna	bead	2	Hkr	90-90
F-1231	maska vanjska	external mask profile	1	ML-44.4	90-90
Z40-665	staklo lajsna	glass bead	4	Lkr-116	90-90
Z40-665	staklo lajsna	glass bead	4	Hkr-160	90-90
F-1112	vodilica	guide profile	2	ML-104	90-90
378.001	pvc po obodu rama	pvc around the frame	2	ML-40.5	45-45
378.001	pvc po obodu rama	pvc around the frame	2	MH-40.5	45-45
374.088	pvc na spoju dva krila	pvc at the joint of two sashs	2	Hkr	90-90
OKOVI HARDWARE					
730.013	kutnik rama	frame corner bracket	8		
710.599	kutnik krila	sash corner bracket	16		
710.600	kutnik krila	sash corner bracket	16		
731.010	kutnik krila	sash corner bracket	8		
730.001	pomoćni kutnik krila	supprt sash corner bracket	8		
730.017	pomoćni kutnik krila	supprt sash corner bracket	16		
373.061	usmjerivač krila	sash guide	4		
375.018	čep profila maske F-1231	mask profile cap	1 par		
375.016	čep maske krila	sash mask cap	4		
375.020	ublaživač udara krila	sash hit bumber	2		
370.070	čep za odvod vode	water drain plug	2		
374.116	pvc podmetač kotača	pvc wheel pad	4	L=200mm	
374.117	pvc podmetač brave	pvc lock pad	2	Hkr	
340.517	umetak sa četkicom gornji	upper insert with brush	1		
340.515*	umetak sa četkicom donji	lower insert with brush	1		
360.014**	gumeni umetak	rubber insert	1		
BRTVE GASKETS					
328.002	brtva prema staklu	gasket towards glass	4	Hkr+Lkr	
311.003	brtva prema staklu	gasket towards glass	4	Hkr+Lkr	
347.012	brtva na spoju krila	sash joint gasket	4	Hkr	
348.052	brtva u ramu	frame gasket		2ML+4MH	
347.003*	četkasta brtva krila	sash brush gasket		8Lkr+4Hkr	
347.012**	brtva krila	sash gasket		8Lkr+4Hkr	
348.073	brtva na spoju krila i prečke	sash joint gasket	2	Hkr	
340.496	izolacijski umetak	insulating insert	2	Hkr	
348.001	ispuna po opsegu stakla	filling around the glass		2ML+4MH	
340.534	xps gornje horiznotale krila	upper horizontal wings xps	2	Lkr-85	
STAKLO GLASS					
28 mm			2	Lkr-130 x Hkr-130	


- Okov za klizne i podizno-klizne sisteme izabrati iz kataloga str.403.08.01...
- Hardware for slide and lift-slide systems to choose from catalog page 403.08.01...

* koristi se za Termo 120 klizno
* used for Termo 120 sliding

** koristi se za Termo 120 podizno klizno
** used for Termo 120 lifting and sliding








KLIZNA I PODIZNO-KLIZNA TROKRILNA VRATA SA KRILOM
FT-0727
SLIDE AND LIFT-SLIDE THREE SASH DOOR WITH SASH
FT-0727


			kom pcs	mjera measure	pilanje cutting
PROFILI PROFILES					
FT-0721F	ram	frame	2	ML	45-45
FT-0721F	ram	frame	2	MH	45-45
FT-0727	krilo	sash	6	ML/3+17.7	45-45
FT-0727	krilo	sash	6	MH-84.5	45-45
F-1528	lajsna	bead	4	Hkr	90-90
F-1231	maska vanjska	external mask profile	1	ML-44.4	90-90
Z40-665	staklo lajsna	glass bead	6	Lkr-116	90-90
Z40-665	staklo lajsna	glass bead	6	Hkr-160	90-90
F-1112	vodilica	guide profile	3	ML-104	90-90
378.001	pvc po obodu rama	pvc around the frame	4	ML-40.5	45-45
378.001	pvc po obodu rama	pvc around the frame	4	MH-40.5	45-45
374.088	pvc na spoju dva krila	pvc at the joint of two sashs	4	Hkr	90-90
OKOVI HARDWARE					
730.013	kutnik rama	frame corner bracket	8		
710.599	kutnik krila	sash corner bracket	24		
710.600	kutnik krila	sash corner bracket	24		
731.010	kutnik krila	sash corner bracket	12		
730.001	pomoćni kutnik krila	supprt sash corner bracket	12		
730.007	pomoćni kutnik krila	supprt sash corner bracket	24		
373.061	usmjerivač krila	sash guide	6		
375.018	čep profila maske F-1231	mask profile cap	1 par		
375.016	čep maske krila	sash mask cap	6		
375.020	ublaživač udara krila	sash hit bumber	4		
370.070	čep za odvod vode	water drain plug	2		
374.116	pvc podmetač kotača	pvc wheel pad	6	L=200mm	
374.117*	pvc podmetač brave	pvc lock pad	2	Hkr	
374.117**	pvc podmetač brave	pvc lock pad	3	Hkr	
340.517	umetak sa četkicom gornji	upper insert with brush	3		
340.515*	umetak sa četkicom donji	lower insert with brush	3		
360.014**	gumeni umetak	rubber insert	3		
BRTVE GASKETS					
328.002	brtva prema staklu	gasket towards glass	6	Hkr+Lkr	
311.003	brtva prema staklu	gasket towards glass	6	Hkr+Lkr	
347.012	brtva na spoju krila	sash joint gasket	8	Hkr	
348.052	brtva u ramu	frame gasket		3ML+6MH	
347.003*	četkasta brtva krila	sash brush gasket		12Lkr+4Hkr	
347.012**	brtva krila	sash gasket		12Lkr+4Hkr	
348.073	brtva na spoju krila i prečke	sash joint gasket	4	Hkr	
340.496*	izolacijski umetak	insulating insert	4	Hkr	
340.496**	izolacijski umetak	insulating insert	3	Hkr	
348.001	ispuna po opsegu stakla	filling around the glass		2ML+6MH	
340.534	xps gornje horiznotale krila	upper horizontal wings xps	3	Lkr-85	
STAKLO GLASS					
28 mm			3	Lkr-130 x Hkr-130	

- Okov za klizne i podizno-klizne sisteme izabrati iz kataloga str.403.08.01...
* koristi se za Termo 120 klizno
** koristi se za Termo 120 podizno klizno

- Hardware for slide and lift-slide systems to choose from catalog page 403.08.01...
* used for Termo 120 sliding
** used for Termo 120 lifting and sliding








KLIZNA I PODIZNO-KLIZNA ČETVEROKRILNA VRATA
SA KRILOM FT-0727


SLIDE AND LIFT-SLIDE FOUR SASH DOOR WITH SASH
FT-0727




			kom pcs	mjera measure	pilanje cutting
PROFILI PROFILES					
FT-0720F	ram	frame	2	ML	45-45
FT-0720F	ram	frame	2	MH	45-45
FT-0727	krilo	sash	8	ML/4+11.6	45-45
FT-0727	krilo	sash	8	MH-84.5	45-45
FT-0733F	profil dodatka krila	addition sash profile	1	Hkr	90-90
F-1528	lajsna	bead	4	Hkr	90-90
F-1231	maska vanjska	external mask profile	1	ML-44.4	90-90
Z40-665	staklo lajsna	glass bead	8	Lkr-116	90-90
Z40-665	staklo lajsna	glass bead	8	Hkr-160	90-90
F-1112	vodilica	guide profile	2	ML-104	90-90
378.001	pvc po obodu rama	pvc around the frame	2	ML-40.5	45-45
378.001	pvc po obodu rama	pvc around the frame	2	MH-40.5	45-45
374.088	pvc na spoju dva krila	pvc at the joint of two sashs	4	Hkr	90-90
OKOVI HARDWARE					
730.013	kutnik rama	frame corner bracket	8		
710.599	kutnik krila	sash corner bracket	32		
710.600	kutnik krila	sash corner bracket	32		
731.010	kutnik krila	sash corner bracket	16		
730.017	pomoćni kutnik krila	supprt sash corner bracket	32		
373.061	usmjerivač krila	sash guide	8		
375.018	čep profila maske F-1231	mask profile cap	1 par		
375.016	čep maske krila	sash mask cap	8		
375.020	ublaživač udara krila	sash hit bumber	4		
370.070	čep za odvod vode	water drain plug	2		
374.116	pvc podmetač kotača	pvc wheel pad	8	L=200mm	
374.117*	pvc podmetač brave	pvc lock pad	3	Hkr	
374.117**	pvc podmetač brave	pvc lock pad	4	Hkr	
340.517	umetak sa četkicom gornji	upper insert with brush	2		
340.515*	umetak sa četkicom donji	lower insert with brush	2		
360.014**	gumeni umetak	rubber insert	2		
BRTVE GASKETS					
328.002	brtva prema staklu	gasket towards glass	8	Hkr+Lkr	
311.003	brtva prema staklu	gasket towards glass	8	Hkr+Lkr	
347.011	brtva na spoju krila	sash joint gasket	2	Hkr	
347.012	brtva na spoju krila	sash joint gasket	8	Hkr	
348.052	brtva u ramu	frame gasket		2ML+4MH	
347.003*	četkasta brtva krila	sash brush gasket		16Lkr+4Hkr	
347.012**	brtva krila	sash gasket		16Lkr+4Hkr	
348.073	brtva na spoju krila i prečke	sash joint gasket	4	Hkr	
340.496	izolacijski umetak	insulating insert	4	Hkr	
340.507*	izolacijski umetak	insulating insert	1	Hkr	
348.001	ispuna po opsegu stakla	filling around the glass		2ML+8MH	
340.534	xps gornje horiznotale krila	upper horizontal wings xps	4	Lkr-85	
STAKLO GLASS					
28 mm			4	Lkr-30 x Hkr-130	

- Okov za klizne i podizno-klizne sisteme izabrati iz kataloga str.403.08.01...
* koristi se za Termo 120 klizno
** koristi se za Termo 120 podizno klizno

- Hardware for slide and lift-slide systems to choose from catalog page 403.08.01...
* used for Termo 120 sliding
** used for Termo 120 lifting and sliding







KLIZNA I PODIZNO-KLIZNA DVOKRILNA VRATA SA KRILOM FT-0727 + FT-0728 SA USKIM SREDNJIM VERTIKALNIM POJASOM
SLIDE AND LIFT-SLIDE TWO SASH DOOR WITH SASH FT-0727 + FT-0728 WITH NARROW MEDIUM VERTICAL ZONE


PROFILI PROFILES			kom pcs	mjera measure	pilanje cutting
FT-0720F	ram	frame	2	ML	45-45
FT-0720F	ram	frame	2	MH	45-45
FT-0727	krilo-vodoravnice	sash-horizontal	4	ML/2+13#	45-45
FT-0727	krilo	sash	2	MH-84.5	45-45
FT-0728	krilo	sash	2	Hkr-68.8	45-45
F-1793	lajsna	bead	2	Hkr	90-90
F-1231	maska vanjska	external mask profile	1	ML-44.4	90-90
Z40-665	staklo lajsna	glass bead	4	Lkr-81.6	90-90
Z40-665	staklo lajsna	glass bead	4	Hkr-160	90-90
F-1112	vodilica	guide profile	2	ML-104	90-90
378.001	pvc po obodu rama	pvc around the frame	2	ML-40.5	45-45
378.001	pvc po obodu rama	pvc around the frame	2	MH-40.5	45-45
374.121	pvc na spoju dva krila	pvc at the joint of two sashs	2	Hkr	90-90
OKOVI HARDWARE					
730.013	kutnik rama	frame corner bracket	8		
710.599	kutnik krila	sash corner bracket	8		
710.600	kutnik krila	sash corner bracket	8		
731.010	kutnik krila	sash corner bracket	8		
730.001	pomoćni kutnik krila	supprt sash corner bracket	8		
730.017	pomoćni kutnik krila	supprt sash corner bracket	8		
373.061	usmjerivač krila	sash guide	2		
375.018	čep profila maske F-1231	mask profile cap	1 par		
375.016	čep maske krila	sash mask cap	4		
375.020	ublaživač udara krila	sash hit bumber	2		
370.070	čep za odvod vode	water drain plug	2		
374.116	pvc podmetač kotača	pvc wheel pad	4	L=200mm	
374.117	pvc podmetač brave	pvc lock pad	2	Hkr	
340.517	umetak sa četkicom gornji	upper insert with brush	1		
340.515*	umetak sa četkicom donji	lower insert with brush	1		
360.014**	gumeni umetak	rubber insert	1		
BRTVE GASKETS					
328.002	brtva prema staklu	gasket towards glass	4	Hkr+Lkr	
311.003	brtva prema staklu	gasket towards glass	4	Hkr+Lkr	
347.012	brtva na spoju krila	sash joint gasket	4	Hkr	
348.052	brtva u ramu	frame gasket		2ML+4MH	
347.003*	četkasta brtva krila	sash brush gasket		8Lkr+4Hkr	
347.012**	brtva krila	sash gasket		8Lkr+4Hkr	
348.001	ispuna po opsegu stakla	filling around the glass		2ML+4MH	
340.534	xps gornje horiznotale krila	upper horizontal wings xps	2	Lkr-85	
STAKLO GLASS					
28 mm			2	Lkr-95.6 x Hkr-130	

- Okov za klizne i podizno-klizne sisteme izabrati iz kataloga str.403.08.01...
* koristi se za Termo 120 klizno
** koristi se za Termo 120 podizno klizno
\# pogledati obradu u katalogu stranica 406.11.008

- Hardware for slide and lift-slide systems to choose from catalog page 403.08.01...
* used for Termo 120 sliding
** used for Termo 120 lifting and sliding
\# see processing in catalog page 406.11.008









KLIZNA I PODIZNO-KLIZNA VRATA SA KRILOM FT-0725F I INTEGRIRANIM FIKSNIM POLJEM
SLIDE AND LIFT-SLIDE DOOR WITH SASH FT-0725F AND INTEGRATED FIXED FIELD


- Okov za klizne i podizno-klizne sisteme izabrati iz kataloga str.403.08.01...
* koristi se za Termo 120 klizno
** koristi se za Termo 120 podizno klizno

- Hardware for slide and lift-slide systems to choose from catalog page 403.08.01...
* used for Termo 120 sliding
** used for Termo 120 lifting and sliding

			kom pcs	mjera measure	pilanje cutting
PROFILI PROFILES					
FT-0722F	ram	frame	2	ML	45-45
FT-0722F	ram	frame	2	MH	45-45
FT-0725F	krilo	sash	2	ML/2+4.1	45-45
FT-0725F	krilo	sash	2	MH-82	45-45
FT-0730F	prečka	mullion	1	MH-46	90-90
F-1528	maska prečke	mullion mask profile	1	MH-56	90-90
F-1528	maska krila	sash mask profile	1	Hkr	90-90
F-1231	maska vanjska	external mask profile	1	ML-48	90-90
F-1444	horizontalna maska rama	horizontal frame mask	2	Lkr-88.2	90-90
F-1445	vertikalna maska rama	vertical frame mask	1	MH-106.6	90-90
Z40-660	staklo lajsna krila	sash glass bead	2	Lkr-157.2	90-90
Z40-660	staklo lajsna krila	sash glass bead	2	Hkr-201.2	90-90
Z40-660	staklo lajsna fiksnog dijela	fixed part glass bead	2	Lprečke-106.6	90-90
Z40-660	staklo lajsna fiksnog dijela	fixed part glass bead	2	MH-100	90-90
F-1676	držač točkića	boogies holder	2	Lkr-50	90-90
F-1112	vodilica	guide profile	1	ML-104	90-90
374.075	pvc prečke	mullion pvc	1	MH-56	90-90
374.075	pvc krila	sash pvc	1	Hkr	90-90
OKOVI HARDWARE					
730.008	kutnik rama	frame corner bracket	4		
710.478	kutnik rama	frame corner bracket	4		
710.445	kutnik krila	sash corner bracket	4		
710.504	kutnik krila	sash corner bracket	4		
710.011	kutnik krila	sash corner bracket	8		
730.001	pomoćni kutnik krila	supprt sash corner bracket	4		
373.060	usmjerivač krila	sash guide	2		
375.018	čep profila maske F-1231	mask profile cap	1 par		
375.016	čep maske krila	sash mask cap	2		
375.020	ublaživač udara krila	sash hit bumber	2		
370.070	čep za odvod vode	water drain plug	2		
374.052	pvc podmetač kotača	pvc wheel pad	2	L=200mm	
374.060	pvc podmetač brave	pvc lock pad	1	Hkr	
149.049	pvc podmetač brave 4mm 305466 Hautau kod	pvc lock pad 4mm 305466 Hautau code	1	1 pak.(5 kom)	
340.041	umetak sa četkicom gornji	upper insert with brush	1		
340.521*	umetak sa četkicom donji	lower insert with brush	1		
364.018**	gumeni umetak	rubber insert	1		
BRTVE GASKETS					
318.001	brtva prema staklu	gasket towards glass	2	Hkr+Lkr+MH+ML/2	
328.007	brtva prema staklu	gasket towards glass	2	Hkr+Lkr+MH+ML/2	
347.012	brtva na spoju	sash joint gasket	4	Hkr	
347.004	četkica maski	mask brush		Hkr+2Lkr	
347.003*	četkasta brtva krila	sash brush gasket		4Lkr+2Hkr	
347.012**	brtva krila	sash gasket		4Lkr+2Hkr	
348.073	brtva na spoju krila i prečke	joint gasket	2	Hkr	
348.052	brtva u ramu	frame gasket		ML+2MH	
344.015	brtva u ramu	frame gasket		2Lkr+MH	
340.042	izolacijski umetak	insulating insert	2	Lkr	
340.044	izolacijski umetak	insulating insert	1	Hkr	
340.045	izolacijski umetak	insulating insert	1	Hkr	
340.013	izoterm plamaframe	isotherm plamaframe	2	Lkr+Hkr+Lprečke+MH	
340.533	xps gornje horiznotale krila	upper horizontal wings xps	1	Lkr-120	
STAKLO GLASS					
44 mm(krilo)			1	Lst x Hst	
44 mm(fiksno)			1	Lst.fiksnog x Hst.fiksnog	









KLIZNA I PODIZNO-KLIZNA VRATA SA KRILOM FT-0725F I INTEGRIRANIM FIKSNIM POLJEM
SLIDE AND LIFT-SLIDE DOOR WITH SASH FT-0725F AND INTEGRATED FIXED FIELD


- Okov za klizne i podizno-klizne sisteme izabrati iz kataloga str.403.08.01...
* koristi se za Termo 120 klizno
** koristi se za Termo 120 podizno klizno

- Hardware for slide and lift-slide systems to choose from catalog page 403.08.01...
* used for Termo 120 sliding
** used for Termo 120 lifting and sliding

			kom pcs	mjera measure	pilanje cutting
PROFILI PROFILES					
FT-0722F	ram	frame	2	ML	45-45
FT-0722F	ram	frame	2	MH	45-45
FT-0725F	krilo	sash	4	ML/4+4.1	45-45
FT-0725F	krilo	sash	4	MH-82	45-45
FT-0730F	prečka	mullion	2	MH-46	90-90
F-1528	maska prečke	mullion mask profile	2	MH-56	90-90
F-1528	maska krila	sash mask profile	2	Hkr	90-90
F-1231	maska vanjska	external mask profile	1	ML-48	90-90
F-1444	horizontalna maska rama	horizontal frame mask	4	Lprečke-39.5	90-90
F-1445	vertikalna maska rama	vertical frame mask	2	MH-106.6	90-90
Z40-660	staklo lajsna krila	sash glass bead	4	Lkr-157.2	90-90
Z40-660	staklo lajsna krila	sash glass bead	4	Hkr-201.2	90-90
Z40-660	staklo lajsna fiksnog dijela	fixed part glass bead	2	ML-(2Lprečke+157.2)	90-90
Z40-660	staklo lajsna fiksnog dijela	fixed part glass bead	2	MH-100	90-90
F-1676	držač točkića	boogies holder	4	Lkr-50	90-90
F-1112	vodilica	guide profile	1	ML-104	90-90
374.075	pvc prečke	mullion pvc	2	MH-56	90-90
374.075	pvc krila	sash pvc	2	Hkr	90-90
OKOVI HARDWARE					
730.008	kutnik rama	frame corner bracket	4		
710.478	kutnik rama	frame corner bracket	4		
710.445	kutnik krila	sash corner bracket	8		
710.504	kutnik krila	sash corner bracket	8		
710.011	kutnik krila	sash corner bracket	16		
730.001	pomoćni kutnik krila	supprt sash corner bracket	8		
373.060	usmjerivač krila	sash guide	4		
375.018	čep profila maske F-1231	mask profile cap	1 par		
375.016	čep maske krila	sash mask cap	4		
375.020	ublaživač udara krila	sash hit bumber	4		
370.070	čep za odvod vode	water drain plug	2		
374.052	pvc podmetač kotača	pvc wheel pad	4	L=200mm	
374.060	pvc podmetač brave	pvc lock pad	2	Hkr	
149.049	pvc podmetač brave 4mm 305466 Hautau kod	pvc lock pad 4mm 305466 Hautau code	2	1 pak.(5 kom)	
340.041	umetak sa četkicom gornji	upper insert with brush	2		
340.521*	umetak sa četkicom donji	lower insert with brush	2		
364.018**	gumeni umetak	rubber insert	2		
BRTVE GASKETS					
318.001	brtva prema staklu(krilo)	gasket towards glass(sash)	4	Hkr+Lkr	
318.001	brtva prema staklu(fiskno)	gasket towards glass(fixed)	2	MH+ML/2	
328.007	brtva prema staklu	gasket towards glass		4(Hkr+Lkr)+2(MH+ML/2)	
347.012	brtva na spoju	sash joint gasket	8	Hkr	
347.004	četkica maski	mask brush		2Hkr+4Lkr	
347.003*	četkasta brtva krila	sash brush gasket		8Lkr+4Hkr	
347.012**	brtva krila	sash gasket		8Lkr+4Hkr	
348.073	brtva na spoju krila i prečke	joint gasket	4	Hkr	
348.052	brtva u ramu	frame gasket		ML+2MH	
344.015	brtva u ramu	frame gasket		4Lkr+2MH	
340.042	izolacijski umetak	insulating insert	4	Lkr	
340.044	izolacijski umetak	insulating insert	2	Hkr	
340.045	izolacijski umetak	insulating insert	2	Hkr	
340.013	izoterm plamaframe	isotherm plamaframe		4Hkr+4Lkr+2MH+2ML/2	
340.533	xps gornje horiznotale krila	upper horizontal wings xps	2	Lkr-120	
STAKLO GLASS					
44 mm(krilo)			2	Lst x Hst	
44 mm(fiksno)			1	Lst.fiksnog x Hst.fiksnog	








KLIZNA I PODIZNO-KLIZNA VRATA SA KRILOM FT-0725F I INTEGRIRANIM FIKSNIM POLJEM
SLIDE AND LIFT-SLIDE DOOR WITH SASH FT-0725F AND INTEGRATED FIXED FIELD


- Okov za klizne i podizno-klizne sisteme izabrati iz kataloga str.403.08.01...
- Hardware for slide and lift-slide systems to choose from catalog page 403.08.01...


* koristi se za Termo 120 klizno
* used for Termo 120 sliding

** koristi se za Termo 120 podizno klizno
** used for Termo 120 lifting and sliding

			kom pcs	mjera measure	pilanje cutting
PROFILI PROFILES					
FT-0722F	ram	frame	2	ML	45-45
FT-0722F	ram	frame	2	MH	45-45
FT-0725F	krilo	sash	4	ML/4+41.85	45-45
FT-0725F	krilo	sash	4	MH-82	45-45
FT-0730F	prečka	mullion	2	MH-46	90-90
F-1528	maska prečke	mullion mask profile	2	MH-56	90-90
FT-0733F	profil dodatka krila	addition sash profile	1	Hkr-50	90-90
F-1528	maska krila	sash mask profile	2	Hkr	90-90
F-1231	maska vanjska	external mask profile	1	ML-48	90-90
F-1444	horizontalna maska rama	horizontal frame mask	2	ML-2Lpreč.-23.1	90-90
Z40-660	staklo lajsna krila	sash glass bead	4	Lkr-157.2	90-90
Z40-660	staklo lajsna krila	sash glass bead	4	Hkr-201.2	90-90
Z40-660	staklo lajsna fiksnog dijela	fixed part glass bead	4	Lprečke-106.6	90-90
Z40-660	staklo lajsna fiksnog dijela	fixed part glass bead	4	MH-100	90-90
F-1676	držač točkića	boogies holder	4	Lkr-50	90-90
F-1112	vodilica	guide profile	1	ML-104	90-90
374.075	pvc prečke	mullion pvc	2	MH-56	90-90
374.075	pvc krila	sash pvc	2	Hkr	90-90
OKOVI HARDWARE					
730.008	kutnik rama	frame corner bracket	4		
710.478	kutnik rama	frame corner bracket	4		
710.445	kutnik krila	sash corner bracket	8		
710.504	kutnik krila	sash corner bracket	8		
710.011	kutnik krila	sash corner bracket	16		
730.001	pomoćni kutnik krila	supprt sash corner bracket	8		
373.060	usmjerivač krila	sash guide	4		
375.018	čep profila maske F-1231	mask profile cap	1 par		
375.016	čep maske krila	sash mask cap	4		
375.020	ublaživač udara krila	sash hit bumber	4		
370.070	čep za odvod vode	water drain plug	2		
374.052	pvc podmetač kotača	pvc wheel pad	4	L=200mm	
374.060*	pvc podmetač brave	pvc lock pad	1	Hkr	
374.060**	pvc podmetač brave	pvc lock pad	2	Hkr	
149.049*	pvc podmetač brave 4mm 305466 Hautau kod	pvc lock pad 4mm 305466 Hautau code	1	1 pak.(5 kom)	
149.049**	pvc podmetač brave 4mm 305466 Hautau kod	pvc lock pad 4mm 305466 Hautau code	2	1 pak.(5 kom)	
340.041	umetak sa četkicom gornji	upper insert with brush	2		
340.521*	umetak sa četkicom donji	lower insert with brush	2		
364.018**	gumeni umetak	rubber insert	2		
BRTVE GASKETS					
318.001	brtva prema staklu	gasket towards glass	4	(Hkr+Lkr)+(MH+ML/4)	
328.007	brtva prema staklu	gasket towards glass	4	(Hkr+Lkr)+(MH+ML/4)	
347.011	brtva na spoju krila	sash joint gasket	2	Hkr	
347.012	brtva na spoju	sash joint gasket	8	Hkr	
347.004	četkica maski	mask brush		2Lkr	
347.003*	četkasta brtva krila	sash brush gasket		8Lkr+4Hkr	
347.012**	brtva krila	sash gasket		8Lkr+4Hkr	
348.073	brtva na spoju krila i prečke	joint gasket	4	Hkr	
348.052	brtva u ramu	frame gasket		ML+2MH	
344.015	brtva u ramu	frame gasket	4	Lkr	
340.042	izolacijski umetak	insulating insert	4	Lkr	
340.044*	izolacijski umetak	insulating insert	3	Hkr	
340.044**	izolacijski umetak	insulating insert	2	Hkr	
340.045	izolacijski umetak	insulating insert	2	Hkr	
340.013	izoterm plamaframe	isotherm plamaframe	4	Lkr+Hkr+Lprečke+MH	
340.533	xps gornje horiznotale krila	upper horizontal wings xps	2	Lkr-120	
STAKLO GLASS					
44 mm(krilo)			2	Lst x Hst	
44 mm(fiksno)			2	Lst.fiksnog x Hst.fiksnog	







KLIZNA I PODIZNO-KLIZNA VRATA SA KRILOM FT-0725F I INTEGRIRANIM FIKSNIM POLJEM
SLIDE AND LIFT-SLIDE DOOR WITH SASH FT-0725F AND INTEGRATED FIXED FIELD

- Okov za klizne i podizno-klizne sisteme izabrati iz kataloga str.403.08.01...
- Hardware for slide and lift-slide systems to choose from catalog page 403.08.01...

* koristi se za Termo 120 klizno
* used for Termo 120 sliding


** koristi se za Termo 120 podizno klizno
** used for Termo 120 lifting and sliding


PROFILI PROFILES			kom pcs	mjera measure	pilanje cutting
FT-0722F	ram	frame	2	ML	45-45
FT-0722F	ram	frame	2	MH	45-45
FT-0725F	krilo	sash	2	ML/3+36.6	45-45
FT-0725F	krilo	sash	2	MH-82	45-45
FT-0730F	prečka	mullion	1	MH-46	90-90
FT-0736F	prečka	mullion	1	MH-47	90-90
F-1528	maska prečke	mullion mask profile	1	MH-56	90-90
F-1528	maska krila	sash mask profile	1	Hkr	90-90
F-1231	maska vanjska	external mask profile	1	ML-48	90-90
F-1444	horizontalna maska rama	horizontal frame mask	2	ML/3-56.1	90-90
Z40-660	staklo lajsna krila	sash glass bead	2	Lkr-157.2	90-90
Z40-660	staklo lajsna krila	sash glass bead	2	Hkr-201.2	90-90
Z40-660	staklo lajsna fiksnog dijela1	fixed part glass bead	2	Lprečke1-106.6	90-90
Z40-660	staklo lajsna fiksnog dijela1	fixed part glass bead	2	MH-100	90-90
Z40-660	staklo lajsna fiksnog dijela2	fixed part glass bead	2	Lprečke2-53	90-90
Z40-660	staklo lajsna fiksnog dijela2	fixed part glass bead	2	MH-100	90-90
F-1676	držač točkića	boogies holder	2	Lkr-50	90-90
F-1112	vodilica	guide profile	1	2ML/3-104	90-90
374.075	pvc prečke	mullion pvc	1	MH-56	90-90
374.075	pvc krila	sash pvc	1	Hkr	90-90


OKOVI HARDWARE				
730.008	kutnik rama	frame corner bracket	4	
710.478	kutnik rama	frame corner bracket	4	
710.445	kutnik krila	sash corner bracket	4	
710.504	kutnik krila	sash corner bracket	4	
710.011	kutnik krila	sash corner bracket	8	
730.001	pomoćni kutnik krila	supprt sash corner bracket	4	
373.060	usmjerivač krila	sash guide	2	
375.018	čep profila maske F-1231	mask profile cap	1 par	
375.016	čep maske krila	sash mask cap	2	
375.020	ublaživač udara krila	sash hit bumber	2	
370.070	čep za odvod vode	water drain plug	2	
374.052	pvc podmetač kotača	pvc wheel pad	2	L=200mm
374.060	pvc podmetač brave	pvc lock pad	1	Hkr
149.049	pvc podmetač brave 4mm 305466 Hautau kod	pvc lock pad 4mm 305466 Hautau code	1	1 pak.(5 kom)
340.041	umetak sa četkicom gornji	upper insert with brush	1	
340.521*	umetak sa četkicom donji	lower insert with brush	1	
364.018**	gumeni umetak	rubber insert	1	
363.098	umetak za prečku	mullion insert	1 par	

BRTVE GASKETS				
318.001	brtva prema staklu(krilo)	gasket towards glass(sash)	2	Hkr+Lkr
318.001	brtva prema staklu(fiskno1 i 2)	gasket towards glass(fixed1 i 2)	4	MH+ML/3
328.007	brtva prema staklu	gasket towards glass		2(Hkr+Lkr) + 4(MH+ML/3)
347.012	brtva na spoju	sash joint gasket	4	Hkr
347.004	četkica maski	mask brush	2	ML/3-56
347.003*	četkasta brtva krila	sash brush gasket		4Lkr+2Hkr
347.012**	brtva krila	sash gasket		4Lkr+2Hkr
348.073	brtva na spoju krila i prečke	joint gasket	2	Hkr
348.052	brtva u ramu	frame gasket		ML+ML/3+3MH
344.015	brtva u ramu	frame gasket	2	ML/3-56
358.015	brtva u prečki	mullion gasket	1	MH
344.104	brtva u prečki	mullion gasket	1	MH
340.044	izolacijski umetak	insulating insert	1	Hkr
340.045	izolacijski umetak	insulating insert	1	Hkr
340.013	izoterm plamaframe	isotherm plamaframe	6	ML/3+MH
340.533	xps gornje horiznotale krila	upper horizontal wings xps	1	Lkr-120

STAKLO GLASS			
44 mm(krilo)		1	(Lkr-177.2) x Hst
44 mm(fiksno1)		1	(Lprečke1-126,8) x Hst.fiksnog
44 mm(fiksno2)		1	(Lprečke2-73,2) x Hst.fiksnog










PODIZNO-KLIZNA VRATA SA KRILOM FT-0725F I INTEGRIRANIM FIKSNIM POLJEM (NISKI PRAG)
LIFT-SLIDE DOOR WITH SASH FT-0725F AND INTEGRATED FIXED FIELD (LOW THRESHOLD)

- Okov za klizne i podizno-klizne sisteme izabrati iz kataloga str.403.08.01...
- Hardware for slide and lift-slide systems to choose from catalog page 403.08.01...

PROFILI PROFILES			kom pcs	mjera measure	pilanje cutting
FT-0722F	ram	frame	1	ML	45-45
FT-0722F	ram	frame	2	MH	45-90
FT-0725F	krilo	sash	2	ML/2+4.1	45-45
FT-0725F	krilo	sash	2	MH-55	45-45
FT-0730F	prečka	mullion	1	MH-35.3	90-90
F-1528	maska prečke	mullion mask profile	1	MH-40.3	90-90
F-1528	maska krila	sash mask profile	1	Hkr	90-90
F-1231	maska vanjska	external mask profile	1	ML-48	90-90
F-1380	horizontalna maska rama	horizontal frame mask	1	ML/2-84	90-90
F-1380	vertikalna maska rama	vertical frame mask	1	MH-65.1	90-90
F-1381	horizontalna maska praga	horizontal threshold mask	1	ML/2-108.9	90-90
F-1377	profil praga	threshold profile	1	ML-62	90-90
F-1378	umetak praga	threshold insert	1	ML-62	90-90
Z40-660	staklo lajsna krila	sash glass bead	2	Lkr-157.2	90-90
Z40-660	staklo lajsna krila	sash glass bead	2	Hkr-201.2	90-90
Z40-660	staklo lajsna fiksnog dijela	fixed part glass bead	2	Lprečke-106.8	90-90
Z40-660	staklo lajsna fiksnog dijela	fixed part glass bead	2	MH-100	90-90
Z40-660	staklo lajsna fiks. dijela praga	threshold fix. part glass bead	1	Lprečke-150.6	90-90
F-1676	držač točkića	boogies holder	2	Lkr-50	90-90
F-1379	vodilica	guide profile	1	ML-87.4	90-90
374.075	pvc prečke	mullion pvc	1	MH-40.3	90-90
374.075	pvc krila	sash pvc	1	Hkr	90-90
OKOVI HARDWARE					
730.008	kutnik rama	frame corner bracket	2		
710.478	kutnik rama	frame corner bracket	2		
710.445	kutnik krila	sash corner bracket	4		
710.504	kutnik krila	sash corner bracket	4		
710.011	kutnik krila	sash corner bracket	8		
730.001	pomoćni kutnik krila	supprt sash corner bracket	4		
373.060	usmjerivač krila	sash guide	2		
375.018	čep profila maske F-1231	mask profile cap	1 par		
375.016	čep maske krila	sash mask cap	1		
375.067	čep maske krila	sash mask cap	1		
375.020	ublaživač udara krila	sash hit bumber	2		
375.065	čep praga	threshold insert	1 par		
374.068	pvc podmetač kotača	pvc wheel pad	2	L=200mm	
374.060	pvc podmetač brave	pvc lock pad	1	Hkr	
149.049	pvc podmetač brave 4mm 305466 Hautau kod	pvc lock pad 4mm 305466 Hautau code	1	1 pak.(5 kom)	
340.041	umetak sa četkicom gornji	upper insert with brush	1		
361.029	gumeni umetak	rubber insert	1		
BRTVE GASKETS					
318.001	brtva prema staklu	gasket towards glass	2	(Hkr+Lkr)+(MH+ML/2)	
328.007	brtva prema staklu	gasket towards glass	2	(Hkr+Lkr)+(MH+ML/2)	
318.002	brtva prema staklu	gasket towards glass	1	ML/2	
347.012	brtva na spoju	sash joint gasket	4	Hkr	
347.004	četkica maski	mask brush		Hkr+2Lkr	
347.012	brtva krila	sash gasket		2Lkr+2Hkr	
348.073	brtva na spoju krila i prečke	joint gasket	2	Hkr	
348.052	brtva u ramu	frame gasket		ML+2MH	
344.015	brtva u ramu	frame gasket		Lkr+MH	
344.055	brtva maske praga	threshold mask gasket		Lkr	
348.054	brtva krila	sash gasket	2	Lkr	
340.042	izolacijski umetak	insulating insert	1	Lkr	
340.044	izolacijski umetak	insulating insert	1	Hkr-115	
340.045	izolacijski umetak	insulating insert	1	Hkr-40.5	
340.013	izoterm plamaframe	isotherm plamaframe	1	(Lkr-157)+(Hkr-157)	
340.013	izoterm plamaframe	isotherm plamaframe	1	(Lpreč.-106.6)+(MH-40.3)	
340.533	xps gornje horiznotale krila	upper horizontal wings xps	1	Lkr-120	
STAKLO GLASS					
44 mm(krilo)			1	Lst x Hst	
44 mm(fiksno)			1	Lst.fiksnog x Hst.fiksnog	










PODIZNO-KLIZNA VRATA SA KRILOM FT-0725F I INTEGRIRANIM FIKSNIM POLJEM (NISKI PRAG)
LIFT-SLIDE DOOR WITH SASH FT-0725F AND INTEGRATED FIXED FIELD (LOW THRESHOLD)

- Okov za klizne i podizno-klizne sisteme izabrati iz kataloga str.403.08.01...
- Hardware for slide and lift-slide systems to choose from catalog page 403.08.01...

			kom pcs	mjera measure	pilanje cutting
PROFILI PROFILES					
FT-0722F	ram	frame	1	ML	45-45
FT-0722F	ram	frame	2	MH	45-90
FT-0725F	krilo	sash	4	ML/4+41.85	45-45
FT-0725F	krilo	sash	4	MH-55	45-45
FT-0730F	prečka	mullion	2	MH-35.3	90-90
FT-0733F	profil dodatka krila	addition sash profile	1	Hkr-50	90-90
F-1528	maska prečke	mullion mask profile	2	MH-40.3	90-90
F-1528	maska krila	sash mask profile	2	Hkr	90-90
F-1231	maska vanjska	external mask profile	1	ML-48	90-90
F-1380	horizontalna maska rama	horizontal frame mask	1	ML-2Lpreč.-23	90-90
F-1381	horizontalna maska praga	horizontal threshold mask	1	ML/2-108.9	90-90
F-1377	profil praga	threshold profile	1	ML-62	90-90
F-1378	umetak praga	threshold insert	1	ML-62	90-90
Z40-660	staklo lajsna krila	sash glass bead	4	Lkr-157.2	90-90
Z40-660	staklo lajsna krila	sash glass bead	4	Hkr-201.2	90-90
Z40-660	staklo lajsna fiksnog dijela	fixed part glass bead	4	Lprečke-106.8	90-90
Z40-660	staklo lajsna fiksnog dijela	fixed part glass bead	4	MH-100	90-90
Z40-660	staklo lajsna fiks. dijela praga	threshold fix. part glass bead	2	Lprečke-150.6	90-90
F-1676	držač točkića	boogies holder	4	Lkr-50	90-90
F-1379	vodilica	guide profile	1	ML-87.4	90-90
374.075	pvc prečke	mullion pvc	2	MH-40.3	90-90
374.075	pvc krila	sash pvc	2	Hkr	90-90
OKOVI HARDWARE					
730.008	kutnik rama	frame corner bracket	2		
710.478	kutnik rama	frame corner bracket	2		
710.445	kutnik krila	sash corner bracket	8		
710.504	kutnik krila	sash corner bracket	8		
710.011	kutnik krila	sash corner bracket	16		
730.001	pomoćni kutnik krila	supprt sash corner bracket	8		
373.060	usmjerivač krila	sash guide	4		
375.018	čep profila maske F-1231	mask profile cap	1 par		
375.016	čep maske krila	sash mask cap	2		
375.067	čep maske krila	sash mask cap	2		
375.020	ublaživač udara krila	sash hit bumber	4		
375.065	čep praga	threshold insert	1 par		
374.068	pvc podmetač kotača	pvc wheel pad	4	L=200mm	
374.060	pvc podmetač brave	pvc lock pad	2	Hkr	
149.049	pvc podmetač brave 4mm 305466 Hautau kod	pvc lock pad 4mm 305466 Hautau code	2	1 pak.(5 kom)	
340.041	umetak sa četkicom gornji	upper insert with brush	2		
361.029	gumeni umetak	rubber insert	2		
BRTVE GASKETS					
318.001	brtva prema staklu	gasket towards glass	4	(Hkr+Lkr)+(MH+ML/4)	
328.007	brtva prema staklu	gasket towards glass	4	(Hkr+Lkr)+(MH+ML/4)	
318.002	brtva prema staklu	gasket towards glass	2	ML/4	
347.011	brtva na spoju krila	sash joint gasket	2	Hkr	
347.012	brtva na spoju	sash joint gasket	8	Hkr	
347.004	četkica maski	mask brush		2ML/4	
347.012	brtva krila	sash gasket		4Lkr	
348.073	brtva na spoju krila i prečke	joint gasket	4	Hkr	
348.052	brtva u ramu	frame gasket		ML+2MH	
344.015	brtva u ramu	frame gasket		2ML/4	
344.055	brtva maske praga	threshold mask gasket		2ML/4	
348.054	brtva krila	sash gasket	4	Lkr	
340.042	izolacijski umetak	insulating insert	2	Lkr	
340.044	izolacijski umetak	insulating insert	2	Hkr-115	
340.045	izolacijski umetak	insulating insert	2	Hkr-40.5	
340.013	izoterm plamaframe	isotherm plamaframe	2	(Lkr-157)+(Hkr-157)	
340.013	izoterm plamaframe	isotherm plamaframe	2	(Lpreč.-106.6)+(MH-40.3)	
340.533	xps gornje horiznotale krila	upper horizontal wings xps	2	Lkr-120	
STAKLO GLASS					
44 mm(krilo)			2	Lst x Hst	
44 mm(fiksno)			2	Lst.fiksnog x Hst.fiksnog	







KLIZNA I PODIZNO-KLIZNA VRATA SA KRILOM FT-0727 I INTEGRIRANIM FIKSNIM POLJEM
SLIDE AND LIFT-SLIDE DOOR WITH SASH FT-0727 AND INTEGRATED FIXED FIELD

- Okov za klizne i podizno-klizne sisteme izabrati iz kataloga str.403.08.01...
* koristi se za Termo 120 klizno
** koristi se za Termo 120 podizno klizno


- Hardware for slide and lift-slide systems to choose from catalog page 403.08.01...
* used for Termo 120 sliding
** used for Termo 120 lifting and sliding


PROFILI PROFILES			kom pcs	mjera measure	pilanje cutting
FT-0722F	ram	frame	2	ML	45-45
FT-0722F	ram	frame	2	MH	45-45
FT-0727	krilo	sash	2	ML/2-7.3	45-45
FT-0727	krilo	sash	2	MH-82	45-45
FT-0735F	prečka	mullion	1	MH-46	90-90
F-1528	maska prečke	mullion mask profile	1	MH-56	90-90
F-1528	maska krila	sash mask profile	1	Hkr	90-90
F-1231	maska vanjska	external mask profile	1	ML-48	90-90
F-1444	horizontalna maska rama	horizontal frame mask	2	Lkr-67.35	90-90
F-1445	vertikalna maska rama	vertical frame mask	1	MH-106.6	90-90
Z40-665	staklo lajsna krila	sash glass bead	2	Lkr-116	90-90
Z40-665	staklo lajsna krila	sash glass bead	2	Hkr-160	90-90
Z40-665	staklo lajsna fiksnog dijela	fixed part glass bead	2	Lprečke-86	90-90
Z40-665	staklo lajsna fiksnog dijela	fixed part glass bead	2	MH-100	90-90
F-1112	vodilica	guide profile	1	ML-104	90-90
374.088	pvc prečke	mullion pvc	1	MH-56	90-90
374.088	pvc krila	sash pvc	1	Hkr	90-90


OKOVI HARDWARE				
730.008	kutnik rama	frame corner bracket	4	
710.478	kutnik rama	frame corner bracket	4	
710.599	kutnik krila	sash corner bracket	8	
710.600	kutnik krila	sash corner bracket	8	
731.010	pomoćni kutnik krila	supprt sash corner bracket	4	
730.017	pomoćni kutnik krila	supprt sash corner bracket	8	
373.061	usmjerivač krila	sash guide	2	
375.018	čep profila maske F-1231	mask profile cap	1 par	
375.016	čep maske krila	sash mask cap	2	
375.020	ublaživač udara krila	sash hit bumber	2	
370.070	čep za odvod vode	water drain plug	2	
374.116	pvc podmetač kotača	pvc wheel pad	2	L=200mm
374.117	pvc podmetač brave	pvc lock pad	1	Hkr
340.041	umetak sa četkicom gornji	upper insert with brush	1	
340.521*	umetak sa četkicom donji	lower insert with brush	1	
364.019**	gumeni umetak	rubber insert	1	

BRTVE GASKETS				
328.002	brtva prema staklu(krilo)	gasket towards glass(sash)	2	Hkr+Lkr
311.003	brtva prema staklu(krilo)	gasket towards glass(sash)	2	Hkr+Lkr
328.002	brtva prema staklu(fiskno)	gasket towards glass(fixed)	2	MH+ML/2
311.003	brtva prema staklu(fiskno)	gasket towards glass(fixed)	2	MH+ML/2
347.012	brtva na spoju	sash joint gasket	4	Hkr
347.004	četkica maski	mask brush		Hkr+2Lkr
347.003*	četkasta brtva krila	sash brush gasket		4Lkr+2Hkr
347.012**	brtva krila	sash gasket		4Lkr+2Hkr
348.073	brtva na spoju krila i prečke	joint gasket	2	Hkr
348.052	brtva u ramu	frame gasket		ML+2MH
344.015	brtva u ramu	frame gasket		2Lkr+MH
340.042	izolacijski umetak	insulating insert	2	Lkr
340.496	izolacijski umetak	insulating insert	1	Hkr
340.045	izolacijski umetak	insulating insert	1	Hkr
348.001	izoterm plamaframe	isotherm plamaframe	2	Lkr+Hkr+Lprečke+MH
340.534	xps gornje horiznotale krila	upper horizontal wings xps	1	Lkr-120

STAKLO GLASS				
28 mm(krilo)			1	Lst x Hst
28 mm(fiksno)			1	Lst.fiksnog x Hst.fiksnog








KLIZNA I PODIZNO-KLIZNA VRATA SA KRILOM FT-0727 I INTEGRIRANIM FIKSNIM POLJEM
SLIDE AND LIFT-SLIDE DOOR WITH SASH FT-0727 AND INTEGRATED FIXED FIELD


- Okov za klizne i podizno-klizne sisteme izabrati iz kataloga str.403.08.01...
* koristi se za Termo 120 klizno
** koristi se za Termo 120 podizno klizno

- Hardware for slide and lift-slide systems to choose from catalog page 403.08.01...
* used for Termo 120 sliding
** used for Termo 120 lifting and sliding

			kom pcs	mjera measure	pilanje cutting
PROFILI PROFILES					
FT-0722F	ram	frame	2	ML	45-45
FT-0722F	ram	frame	2	MH	45-45
FT-0727	krilo	sash	4	ML/4-7.3	45-45
FT-0727	krilo	sash	4	MH-82	45-45
FT-0735F	prečka	mullion	2	MH-46	90-90
F-1528	maska prečke	mullion mask profile	2	MH-56	90-90
F-1528	maska krila	sash mask profile	2	Hkr	90-90
F-1231	maska vanjska	external mask profile	1	ML-48	90-90
F-1444	horizontalna maska rama	horizontal frame mask	4	Lprečke-39.5	90-90
F-1445	vertikalna maska rama	vertical frame mask	2	MH-106.6	90-90
Z40-665	staklo lajsna krila	sash glass bead	4	Lkr-116	90-90
Z40-665	staklo lajsna krila	sash glass bead	4	Hkr-160	90-90
Z40-665	staklo lajsna fiksnog dijela	fixed part glass bead	2	ML-(2Lprečke+116)	90-90
Z40-665	staklo lajsna fiksnog dijela	fixed part glass bead	2	MH-100	90-90
F-1112	vodilica	guide profile	1	ML-104	90-90
374.088	pvc prečke	mullion pvc	2	MH-56	90-90
374.088	pvc krila	sash pvc	2	Hkr	90-90
OKOVI HARDWARE					
730.008	kutnik rama	frame corner bracket	4		
710.478	kutnik rama	frame corner bracket	4		
710.599	kutnik krila	sash corner bracket	16		
710.600	kutnik krila	sash corner bracket	16		
731.010	pomoćni kutnik krila	supprt sash corner bracket	8		
730.017	pomoćni kutnik krila	supprt sash corner bracket	16		
373.061	usmjerivač krila	sash guide	4		
375.018	čep profila maske F-1231	mask profile cap	1 par		
375.016	čep maske krila	sash mask cap	4		
375.020	ublaživač udara krila	sash hit bumber	4		
370.070	čep za odvod vode	water drain plug	2		
374.116	pvc podmetač kotača	pvc wheel pad	4	L=200mm	
374.117	pvc podmetač brave	pvc lock pad	2	Hkr	
340.041	umetak sa četkicom gornji	upper insert with brush	2		
340.521*	umetak sa četkicom donji	lower insert with brush	2		
364.019**	gumeni umetak	rubber insert	2		
BRTVE GASKETS					
328.002	brtva prema staklu(krilo)	gasket towards glass(sash)	4	Hkr+Lkr	
311.003	brtva prema staklu(krilo)	gasket towards glass(sash)	4	Hkr+Lkr	
328.002	brtva prema staklu(fiskno)	gasket towards glass(fixed)	2	MH+ML/2	
311.003	brtva prema staklu(fiskno)	gasket towards glass(fixed)	2	MH+ML/2	
347.012	brtva na spoju	sash joint gasket	8	Hkr	
347.004	četkica maski	mask brush		2Hkr+4Lkr	
347.003*	četkasta brtva krila	sash brush gasket		8Lkr+4Hkr	
347.012**	brtva krila	sash gasket		8Lkr+4Hkr	
348.073	brtva na spoju krila i prečke	joint gasket	4	Hkr	
348.052	brtva u ramu	frame gasket		ML+2MH	
344.015	brtva u ramu	frame gasket		4Lprečke+2MH	
340.042	izolacijski umetak	insulating insert	4	Lkr	
340.496	izolacijski umetak	insulating insert	2	Hkr	
340.045	izolacijski umetak	insulating insert	2	Hkr	
348.001	izoterm plamaframe	isotherm plamaframe	4	Lkr+Hkr+ML/4+MH/2	
340.534	xps gornje horiznotale krila	upper horizontal wings xps	2	Lkr-120	
STAKLO GLASS					
28 mm(krilo)			2	Lst x Hst	
28 mm(fiksno)			1	Lst.fiksnog x Hst.fiksnog	








KLIZNA I PODIZNO-KLIZNA VRATA SA KRILOM FT-0727 I INTEGRIRANIM FIKSNIM POLJEM
SLIDE AND LIFT-SLIDE DOOR WITH SASH FT-0727 AND INTEGRATED FIXED FIELD


- Okov za klizne i podizno-klizne sisteme izabrati iz kataloga str.403.08.01...
- Hardware for slide and lift-slide systems to choose from catalog page 403.08.01...


* koristi se za Termo 120 klizno
* used for Termo 120 sliding

** koristi se za Termo 120 podizno klizno
** used for Termo 120 lifting and sliding

			kom pcs	mjera measure	pilanje cutting
PROFILI PROFILES					
FT-0722F	ram	frame	2	ML	45-45
FT-0722F	ram	frame	2	MH	45-45
FT-0727	krilo	sash	4	ML/4+30.85	45-45
FT-0727	krilo	sash	4	MH-82	45-45
FT-0735F	prečka	mullion	2	MH-46	90-90
F-1528	maska prečke	mullion mask profile	2	MH-56	90-90
FT-0733F	profil dodatka krila	addition sash profile	1	Hkr-50	90-90
F-1528	maska krila	sash mask profile	2	Hkr	90-90
F-1231	maska vanjska	external mask profile	1	ML-48	90-90
F-1444	horizontalna maska rama	horizontal frame mask	2	ML-2Lpreč.-23	90-90
Z40-665	staklo lajsna krila	sash glass bead	4	Lkr-116	90-90
Z40-665	staklo lajsna krila	sash glass bead	4	Hkr-160	90-90
Z40-665	staklo lajsna fiksnog dijela	fixed part glass bead	4	Lprečke-86	90-90
Z40-665	staklo lajsna fiksnog dijela	fixed part glass bead	4	MH-100	90-90
F-1112	vodilica	guide profile	1	ML-104	90-90
374.088	pvc prečke	mullion pvc	2	MH-56	90-90
374.088	pvc krila	sash pvc	2	Hkr	90-90
OKOVI HARDWARE					
730.008	kutnik rama	frame corner bracket	4		
710.478	kutnik rama	frame corner bracket	4		
710.599	kutnik krila	sash corner bracket	16		
710.600	kutnik krila	sash corner bracket	16		
731.010	pomoćni kutnik krila	supprt sash corner bracket	8		
730.017	pomoćni kutnik krila	supprt sash corner bracket	16		
373.061	usmjerivač krila	sash guide	4		
375.018	čep profila maske F-1231	mask profile cap	1 par		
375.016	čep maske krila	sash mask cap	4		
375.020	ublaživač udara krila	sash hit bumber	4		
370.070	čep za odvod vode	water drain plug	2		
374.116	pvc podmetač kotača	pvc wheel pad	4	L=200mm	
374.117*	pvc podmetač brave	pvc lock pad	1	Hkr	
374.117**	pvc podmetač brave	pvc lock pad	2	Hkr	
340.041	umetak sa četkicom gornji	upper insert with brush	2		
340.521*	umetak sa četkicom donji	lower insert with brush	2		
364.019**	gumeni umetak	rubber insert	2		
BRTVE GASKETS					
328.002	brtva prema staklu(krilo)	gasket towards glass(sash)	4	Hkr+Lkr	
311.003	brtva prema staklu(krilo)	gasket towards glass(sash)	4	Hkr+Lkr	
328.002	brtva prema staklu(fiskno)	gasket towards glass(fixed)	4	MH+ML/4	
311.003	brtva prema staklu(fiskno)	gasket towards glass(fixed)	4	MH+ML/4	
347.011	brtva na spoju	sash joint gasket	2	Hkr	
347.012	brtva na spoju	sash joint gasket	8	Hkr	
347.004	četkica maski	mask brush	2	ML/2	
347.003*	četkasta brtva krila	sash brush gasket		8Lkr	
347.012**	brtva krila	sash gasket		8Lkr	
348.073	brtva na spoju krila i prečke	joint gasket	4	Hkr	
348.052	brtva u ramu	frame gasket		ML+2MH	
344.015	brtva u ramu	frame gasket	2	ML/2	
340.042	izolacijski umetak	insulating insert	2	ML/2-91.4	
340.496	izolacijski umetak	insulating insert	2	Hkr	
340.507*	izolacijski umetak	insulating insert	1	Hkr	
340.045	izolacijski umetak	insulating insert	2	Hkr	
348.001	izoterm plamaframe	isotherm plamaframe	4	Lkr+Hkr+Lprečke+MH	
340.534	xps gornje horiznotale krila	upper horizontal wings xps	2	Lkr-120	
STAKLO GLASS					
28 mm(krilo)			2	Lst x Hst	
28 mm(fiksno)			2	Lst.fiksnog x Hst.fiksnog	







KLIZNA I PODIZNO-KLIZNA VRATA SA KRILOM FT-0727 I INTEGRIRANIM FIKSNIM POLJEM

SLIDE AND LIFT-SLIDE DOOR WITH SASH FT-0727 AND INTEGRATED FIXED FIELD

- Okov za klizne i podizno-klizne sisteme izabrati iz kataloga str.403.08.01...
- Hardware for slide and lift-slide systems to choose from catalog page 403.08.01...

* koristi se za Termo 120 klizno
* used for Termo 120 sliding


** koristi se za Termo 120 podizno klizno
** used for Termo 120 lifting and sliding


PROFILI PROFILES			kom pcs	mjera measure	pilanje cutting
FT-0722F	ram	frame	2	ML	45-45
FT-0722F	ram	frame	2	MH	45-45
FT-0727	krilo	sash	2	ML/3+25.2	45-45
FT-0727	krilo	sash	2	MH-82	45-45
FT-0735F	prečka	mullion	1	MH-46	90-90
FT-0736F	prečka	mullion	1	MH-47	90-90
F-1528	maska prečke	mullion mask profile	1	MH-56	90-90
F-1528	maska krila	sash mask profile	1	Hkr	90-90
F-1231	maska vanjska	external mask profile	1	ML-48	90-90
F-1444	horizontalna maska rama	horizontal frame mask	2	ML/3-45.7	90-90
Z40-665	staklo lajsna krila	sash glass bead	2	Lkr-116	90-90
Z40-665	staklo lajsna krila	sash glass bead	2	Hkr-160	90-90
Z40-665	staklo lajsna fiksnog dijela1	fixed part glass bead	2	Lprečke1-86	90-90
Z40-665	staklo lajsna fiksnog dijela1	fixed part glass bead	2	MH-100	90-90
Z40-665	staklo lajsna fiksnog dijela2	fixed part glass bead	2	Lprečke2-53	90-90
Z40-665	staklo lajsna fiksnog dijela2	fixed part glass bead	2	MH-100	90-90
F-1112	vodilica	guide profile	1	2ML/3-66.2	90-90
374.088	pvc prečke	mullion pvc	1	MH-56	90-90
374.088	pvc krila	sash pvc	1	Hkr	90-90


OKOVI HARDWARE				
730.008	kutnik rama	frame corner bracket	4	
710.478	kutnik rama	frame corner bracket	4	
710.599	kutnik krila	sash corner bracket	8	
710.600	kutnik krila	sash corner bracket	8	
731.010	pomoćni kutnik krila	supprt sash corner bracket	4	
730.017	pomoćni kutnik krila	supprt sash corner bracket	8	
373.061	usmjerivač krila	sash guide	2	
375.018	čep profila maske F-1231	mask profile cap	1 par	
375.016	čep maske krila	sash mask cap	2	
375.020	ublaživač udara krila	sash hit bumber	2	
370.070	čep za odvod vode	water drain plug	2	
374.116	pvc podmetač kotača	pvc wheel pad	2	L=200mm
374.117	pvc podmetač brave	pvc lock pad	1	Hkr
340.041	umetak sa četkicom gornji	upper insert with brush	1	
340.521*	umetak sa četkicom donji	lower insert with brush	1	
364.019**	gumeni umetak	rubber insert	1	
363.098	umetak za prečku	mullion insert	1 par	

BRTVE GASKETS				
328.002	brtva prema staklu(krilo)	gasket towards glass(sash)	2	Hkr+Lkr
311.003	brtva prema staklu(krilo)	gasket towards glass(sash)	2	Hkr+Lkr
328.002	brtva prema staklu(fiskno 1)	gasket towards glass(fixed 1)	2	MH+ML/3
311.003	brtva prema staklu(fiskno 1)	gasket towards glass(fixed 1)	2	MH+ML/3
328.002	brtva prema staklu(fiskno 2)	gasket towards glass(fixed 1)	2	MH+ML/3
311.003	brtva prema staklu(fiskno 2)	gasket towards glass(fixed 1)	2	MH+ML/3
347.012	brtva na spoju	sash joint gasket	4	Hkr
347.004	četkica maski	mask brush	2	ML/3-45.7
347.003*	četkasta brtva krila	sash brush gasket		4Lkr+2Hkr
347.012**	brtva krila	sash gasket		4Lkr+2Hkr
348.073	brtva na spoju krila i prečke	joint gasket	2	Hkr
348.052	brtva u ramu	frame gasket		ML+ML/3+3MH
344.015	brtva u ramu	frame gasket	2	ML/3-45.7
358.015	brtva u prečki	mullion gasket	1	MH
344.104	brtva u prečki	mullion gasket	1	MH
340.042	izolacijski umetak	insulating insert	2	ML/3-45.7
340.045	izolacijski umetak	insulating insert	1	Hkr
340.496	izolacijski umetak	insulating insert	1	Hkr
348.001	izoterm plamaframe	isotherm plamaframe	6	ML/3+MH
340.534	xps gornje horiznotale krila	upper horizontal wings xps	1	Lkr-120

STAKLO GLASS			
28 mm(krilo)	1	(Lkr-130) x Hst.krila
28 mm(fiksno1)	1	(Lprečke1-97) x Hst.fiksnog
28 mm(fiksno2)	1	(Lprečke2-67) x Hst.fiksnog







KLIZNA I PODIZNO-KLIZNA VRATA SA KRILOM FT-0727+FT-0728 I INTEGRIRANIM FIKSNIM POLJEM

SLIDE AND LIFT-SLIDE DOOR WITH SASH FT-0727+FT-0728 AND INTEGRATED FIXED FIELD

- Okov za klizne i podizno-klizne sisteme izabrati iz kataloga str.403.08.01...
- Hardware for slide and lift-slide systems to choose from catalog page 403.08.01...

* koristi se za Termo 120 klizno
* used for Termo 120 sliding

** koristi se za Termo 120 podizno klizno
** used for Termo 120 lifting and sliding


\# pogledati obradu u katalogu stranica 406.11.008
\# see processing in catalog page 406.11.008


PROFILI PROFILES			kom pcs	mjera measure	pilanje cutting
FT-0722F	ram	frame	2	ML	45-45
FT-0722F	ram	frame	2	MH	45-45
FT-0727	krilo-vodoravnice	sash-horizontal	2	ML/2+13.5#	45-45
FT-0727	krilo	sash	1	MH-82	45-45
FT-0728	krilo	sash	1	Hkr-68.8	45-45
FT-0737F	prečka	mullion	1	MH-46	90-90
F-1793	maska prečke	mullion mask profile	1	MH-56	90-90
F-1793	maska krila	sash mask profile	1	Hkr	90-90
F-1231	maska vanjska	external mask profile	1	ML-48	90-90
F-1444	horizontalna maska rama	horizontal frame mask	2	ML/2-53	90-90
F-1445	vertikalna maska rama	vertical frame mask	1	MH-106.6	90-90
Z40-665	staklo lajsna krila	sash glass bead	2	Lkr-81.6	90-90
Z40-665	staklo lajsna krila	sash glass bead	2	Hkr-160	90-90
Z40-665	staklo lajsna fiksnog dijela	fixed part glass bead	2	Lprečke-51.6	90-90
Z40-665	staklo lajsna fiksnog dijela	fixed part glass bead	2	MH-100	90-90
F-1112	vodilica	guide profile	1	ML-104	90-90
374.121	pvc prečke	mullion pvc	1	MH-56	90-90
374.121	pvc krila	sash pvc	1	Hkr	90-90


OKOVI HARDWARE				
730.008	kutnik rama	frame corner bracket	4	
710.478	kutnik rama	frame corner bracket	4	
710.599	kutnik krila	sash corner bracket	4	
710.600	kutnik krila	sash corner bracket	8	
731.010	pomoćni kutnik krila	supprt sash corner bracket	4	
730.017	pomoćni kutnik krila	supprt sash corner bracket	4	
373.061	usmjerivač krila	sash guide	1	
375.018	čep profila maske F-1231	mask profile cap	1 par	
375.016	čep maske krila	sash mask cap	2	
375.020	ublaživač udara krila	sash hit bumber	2	
370.070	čep za odvod vode	water drain plug	2	
374.116	pvc podmetač kotača	pvc wheel pad	2	L=200mm
374.117	pvc podmetač brave	pvc lock pad	1	Hkr
340.041	umetak sa četkicom gornji	upper insert with brush	1	
340.521*	umetak sa četkicom donji	lower insert with brush	1	
364.020**	gumeni umetak	rubber insert	1	

BRTVE GASKETS				
328.002	brtva prema staklu(krilo)	gasket towards glass(sash)	2	Hkr+Lkr
311.003	brtva prema staklu(krilo)	gasket towards glass(sash)	2	Hkr+Lkr
328.002	brtva prema staklu(fiskno)	gasket towards glass(fixed)	2	MH+ML/2
311.003	brtva prema staklu(fiskno)	gasket towards glass(fixed)	2	MH+ML/2
347.012	brtva na spoju	sash joint gasket	4	Hkr
347.004	četkica maski	mask brush		Hkr+2Lkr
347.003*	četkasta brtva krila	sash brush gasket		4Lkr+2Hkr
347.012**	brtva krila	sash gasket		4Lkr+2Hkr
348.052	brtva u ramu	frame gasket		ML+2MH
344.015	brtva u ramu	frame gasket		2Lkr+MH
340.042	izolacijski umetak	insulating insert	2	Lkr
348.001	izoterm plamaframe	isotherm plamaframe	2	Lkr+Hkr+Lprečke+MH
340.534	xps gornje horiznotale krila	upper horizontal wings xps	1	Lkr-120

STAKLO GLASS			
28 mm(krilo)		1	Lst x Hst
28 mm(fiksno)		1	Lst.fiksnog x Hst.fiksnog










PODIZNO-KLIZNA VRATA SA KRILOM FT-0727 I INTEGRIRANIM FIKSNIM POLJEM (NISKI PRAG)
LIFT-SLIDE DOOR WITH SASH FT-0727 AND INTEGRATED FIXED FIELD (LOW THRESHOLD)

- Okov za klizne i podizno-klizne sisteme izabrati iz kataloga str.403.08.01...
- Hardware for slide and lift-slide systems to choose from catalog page 403.08.01...

			kom pcs	mjera measure	pilanje cutting
PROFILI PROFILES					
FT-0722F	ram	frame	1	ML	45-45
FT-0722F	ram	frame	2	MH	45-90
FT-0727	krilo	sash	2	ML/2-5.4	45-45
FT-0727	krilo	sash	2	MH-55	45-45
FT-0735F	prečka	mullion	1	MH-35.3	90-90
F-1528	maska prečke	mullion mask profile	1	MH-40.3	90-90
F-1528	maska krila	sash mask profile	1	Hkr	90-90
F-1231	maska vanjska	external mask profile	1	ML-48	90-90
F-1380	horizontalna maska rama	horizontal frame mask	1	ML/2-73.7	90-90
F-1380	vertikalna maska rama	vertical frame mask	1	MH-65.1	90-90
F-1381	horizontalna maska praga	horizontal threshold mask	1	ML/2-98.5	90-90
F-1377	profil praga	threshold profile	1	ML-62	90-90
F-1378	umetak praga	threshold insert	1	ML-62	90-90
Z40-665	staklo lajsna krila	sash glass bead	2	Lkr-116	90-90
Z40-665	staklo lajsna krila	sash glass bead	2	Hkr-160	90-90
Z40-665	staklo lajsna fiksnog dijela	fixed part glass bead	2	Lprečke-86	90-90
Z40-665	staklo lajsna fiksnog dijela	fixed part glass bead	2	MH-84.3	90-90
Z40-660	staklo lajsna fiks. dijela praga	threshold fix. part glass bead	1	Lprečke-130	90-90
F-1379	vodilica	guide profile	1	ML-87.4	90-90
374.088	pvc prečke	mullion pvc	1	MH-40.3	90-90
374.088	pvc krila	sash pvc	1	Hkr	90-90
OKOVI HARDWARE					
730.008	kutnik rama	frame corner bracket	2		
710.478	kutnik rama	frame corner bracket	2		
710.599	kutnik krila	sash corner bracket	8		
710.600	kutnik krila	sash corner bracket	8		
731.010	pomoćni kutnik krila	supprt sash corner bracket	4		
730.017	pomoćni kutnik krila	supprt sash corner bracket	8		
373.061	usmjerivač krila	sash guide	2		
375.018	čep profila maske F-1231	mask profile cap	1 par		
375.016	čep maske krila	sash mask cap	1		
375.067	čep maske krila	sash mask cap	1		
375.020	ublaživač udara krila	sash hit bumber	2		
375.065	čep praga	threshold insert	1 par		
374.118	pvc podmetač kotača	pvc wheel pad	2	L=200mm	
374.117	pvc podmetač brave	pvc lock pad	1	Hkr	
340.041	umetak sa četkicom gornji	upper insert with brush	1		
361.029	gumeni umetak	rubber insert	1		
BRTVE GASKETS					
328.002	brtva prema staklu(krilo)	gasket towards glass(sash)	2	Hkr+Lkr	
311.003	brtva prema staklu(krilo)	gasket towards glass(sash)	2	Hkr+Lkr	
328.002	brtva prema staklu(fiskno)	gasket towards glass(fixed)	2	MH+ML/4	
311.003	brtva prema staklu(fiskno)	gasket towards glass(fixed)	2	MH+ML/2	
311.004	brtva prema staklu(fiskno)	gasket towards glass(fixed)	1	ML/2	
347.012	brtva na spoju	sash joint gasket	4	Hkr	
347.004	četkica maski	mask brush		Hkr+2Lkr	
347.012	brtva krila	sash gasket		2Lkr+2Hkr	
348.073	brtva na spoju krila i prečke	joint gasket	2	Hkr	
348.052	brtva u ramu	frame gasket		ML+2MH	
344.015	brtva u ramu	frame gasket		Lkr+MH	
344.055	brtva maske praga	threshold mask gasket		Lkr	
348.054	brtva krila	sash gasket	2	Lkr	
340.042	izolacijski umetak	insulating insert	1	Lkr	
340.496	izolacijski umetak	insulating insert	1	Hkr	
340.045	izolacijski umetak	insulating insert	1	Hkr-40.5	
348.001	izoterm plamaframe	isotherm plamaframe	2	Lkr+Hkr	
348.001	izoterm plamaframe	isotherm plamaframe	2	Lprečke+MH	
340.534	xps gornje horiznotale krila	upper horizontal wings xps	1	Lkr-120	
STAKLO GLASS					
28 mm(krilo)			1	Lst x Hst	
28 mm(fiksno)			1	Lst.fiksnog x Hst.fiksnog	









PODIZNO-KLIZNA VRATA SA KRILOM FT-0727 I INTEGRIRANIM FIKSNIM POLJEM (NISKI PRAG)
LIFT-SLIDE DOOR WITH SASH FT-0727 AND INTEGRATED FIXED FIELD (LOW THRESHOLD)

- Okov za klizne i podizno-klizne sisteme izabrati iz kataloga str.403.08.01...
- Hardware for slide and lift-slide systems to choose from catalog page 403.08.01...

			kom pcs	mjera measure	pilanje cutting
PROFILI PROFILES					
FT-0722F	ram	frame	1	ML	45-45
FT-0722F	ram	frame	2	MH	45-90
FT-0727	krilo	sash	4	ML/4+30.85	45-45
FT-0727	krilo	sash	4	MH-55	45-45
FT-0733F	profil dodatka krila	addition sash profile	1	Hkr	90-90
FT-0735F	prečka	mullion	2	MH-35.3	90-90
F-1528	maska prečke	mullion mask profile	2	MH-40.3	90-90
F-1528	maska krila	sash mask profile	2	Hkr	90-90
F-1231	maska vanjska	external mask profile	1	ML-48	90-90
F-1380	horizontalna maska rama	horizontal frame mask	1	ML/2-91.4	90-90
F-1381	horizontalna maska praga	horizontal threshold mask	1	ML/2-91.4	90-90
F-1377	profil praga	threshold profile	1	ML-62	90-90
F-1378	umetak praga	threshold insert	1	ML-62	90-90
Z40-665	staklo lajsna krila	sash glass bead	4	Lkr-116	90-90
Z40-665	staklo lajsna krila	sash glass bead	4	Hkr-160	90-90
Z40-665	staklo lajsna fiksnog dijela	fixed part glass bead	4	Lprečke-86	90-90
Z40-665	staklo lajsna fiksnog dijela	fixed part glass bead	4	MH-84.3	90-90
Z40-660	staklo lajsna fiks. dijela praga	threshold fix. part glass bead	2	Lprečke-130	90-90
F-1379	vodilica	guide profile	1	ML-87.4	90-90
374.088	pvc prečke	mullion pvc	2	MH-40.3	90-90
374.088	pvc krila	sash pvc	2	Hkr	90-90
OKOVI HARDWARE					
730.008	kutnik rama	frame corner bracket	2		
710.478	kutnik rama	frame corner bracket	2		
710.599	kutnik krila	sash corner bracket	16		
710.600	kutnik krila	sash corner bracket	16		
731.010	pomoćni kutnik krila	supprt sash corner bracket	8		
730.017	pomoćni kutnik krila	supprt sash corner bracket	16		
373.061	usmjerivač krila	sash guide	4		
375.018	čep profila maske F-1231	mask profile cap	1 par		
375.016	čep maske krila	sash mask cap	2		
375.067	čep maske krila	sash mask cap	2		
375.020	ublaživač udara krila	sash hit bumber	4		
375.065	čep praga	threshold insert	1 par		
374.118	pvc podmetač kotača	pvc wheel pad	4	L=200mm	
374.117	pvc podmetač brave	pvc lock pad	2	Hkr	
340.041	umetak sa četkicom gornji	upper insert with brush	2		
361.029	gumeni umetak	rubber insert	2		
BRTVE GASKETS					
328.002	brtva prema staklu(krilo)	gasket towards glass(sash)	4	Hkr+Lkr	
311.003	brtva prema staklu(krilo)	gasket towards glass(sash)	4	Hkr+Lkr	
328.002	brtva prema staklu(fiskno)	gasket towards glass(fixed)	4	MH+ML/4	
311.003	brtva prema staklu(fiskno)	gasket towards glass(fixed)	4	MH+ML/2	
311.004	brtva prema staklu(fiskno)	gasket towards glass(fixed)	2	ML/2	
347.012	brtva na spoju	sash joint gasket	8	Hkr	
347.004	četkica maski	mask brush		2Lkr	
347.012	brtva krila	sash gasket		4Lkr	
348.073	brtva na spoju krila i prečke	joint gasket	4	Hkr	
348.052	brtva u ramu	frame gasket		ML+2MH	
344.015	brtva u ramu	frame gasket		ML/2	
344.055	brtva maske praga	threshold mask gasket		ML/2	
348.054	brtva krila	sash gasket	4	Lkr	
347.011	brtva na spoju	sash joint gasket	2	Hkr	
340.042	izolacijski umetak	insulating insert	2	Lkr	
340.496	izolacijski umetak	insulating insert	2	Hkr	
340.045	izolacijski umetak	insulating insert	2	Hkr-40.5	
348.001	izoterm plamaframe	isotherm plamaframe	4	Lkr+Hkr	
348.001	izoterm plamaframe	isotherm plamaframe	4	Lprečke+MH	
340.534	xps gornje horiznotale krila	upper horizontal wings xps	2	Lkr-120	
STAKLO GLASS					
28 mm(krilo)			2	Lst x Hst	
28 mm(fiksno)			2	Lst.fiksnog x Hst.fiksnog	





FEAL

Skenirajte QR kod i registrirajte se na partner.feal.ba

Scan the QR code and register on partner.feal.ba

TERMO **120**

Knjiga B / *Book B*

Travanj 2026. / April 2026

FEAL d.o.o.
Trnska cesta 146
88220 Široki Brijeg
Bosna i Hercegovina
Tel. +387 39 704-269; 705-807; 705-636
Fax. +387 39 704-358
info@feal.ba
www.feal.ba