


FEAL




PF 100


PREGRADNI ZIDOVI
PARTITION WALLS


SADRŽAJ - KAZALO


01	PROFILA	612.01.000-015
02	OKOVI I BRTVE	612.02.000-007
03	PRESJECI	612.03.000-015
04	OBRADA I MONTAŽA	612.04.000-011
05	REZNE LISTE	612.05.000-005









Profili












Oznaka	Izgled-presjek	Težina / kg/ml /	Opseg / mm /	I_x / cm ⁴	W_x / cm ³
F-0799		0.628	220		
F-0799/A		0.55	180		
F-0799/B		0.328	99		
F-0875		1.14	547		
F-0876		0.82	391		
F-0878		1.58	414		
F-0903		1.04	220		
F-0905		0.4	180		
Z50-643		1.11	336		


Oznaka	Izgled-presjek	Težina / kg/ml /	Opseg / mm /	I_x / cm ⁴	W_x / cm ³
Z50-640		1.368	445		
Z40-648		0.268	125		
Z40-649		0.221	105		
Z40-662		0.245	116		



Profil fasadne obloge		
Art.-Br.	F-0799	
Težina	kg/m'	0.628
Opseg	mm	220
Moment inercije	I _x (cm ⁴)	2.39
	I _y (cm ⁴)	2.14
	W _x (cm ³)	0.98
	W _y (cm ³)	1.15
Dužina isporuke	mm	6500




Profil fasadne obloge		
Art.-Br.	F-0799/A	
Težina	kg/m'	0.55
Opseg	mm	180
Moment inercije	I _x (cm ⁴)	1.19
	I _y (cm ⁴)	1.87
	W _x (cm ³)	0.84
	W _y (cm ³)	1.08
Dužina isporuke	mm	6500




Profil fasadne obloge		
Art.-Br.	F-0799/B	
Težina	kg/m'	0.328
Opseg	mm	99
Moment inercije	I _x (cm ⁴)	0.21
	I _y (cm ⁴)	1.1
	W _x (cm ³)	0.34
	W _y (cm ³)	0.73
Dužina isporuke	mm	6500

Napomena:


Profili **F-0799/A** i **F-0799/B** dobiju se rezanjem profila **F-0799**




Profil pregrade		
Art.-Br.	F-0878	
Težina	kg/m'	1.58
Opseg	mm	414
Moment inercije	I _x (cm ⁴)	110.79
	I _y (cm ⁴)	11.23
	W _x (cm ³)	15.28
	W _y (cm ³)	3.95
Dužina isporuke	mm	6500




Profil fasadne obloge		
Art.-Br.	F-0876	
Težina	kg/m'	0.82
Opseg	mm	391
Moment inercije	I _x (cm ⁴)	3.52
	I _y (cm ⁴)	37.21
	W _x (cm ³)	1.96
	W _y (cm ³)	8.24
Dužina isporuke	mm	6500



Profil fasadne obloge		
Art.-Br.	F-0875	
Težina	kg/m'	1.14
Opseg	mm	547
Moment inercije	I _x (cm ⁴)	47.85
	I _y (cm ⁴)	47.85
	W _x (cm ³)	8.51
	W _y (cm ³)	8.51
Dužina isporuke	mm	6500




Profil fasadne obloge		
Art.-Br.	F-0907	
Težina	kg/m'	1.32
Opseg	mm	309
Moment inercije	I _x (cm ⁴)	6.58
	I _y (cm ⁴)	48.22
	W _x (cm ³)	3.88
	W _y (cm ³)	9.8
Dužina isporuke	mm	6500

**Z50-643**

težina: kg/ml 1.110

svj.povr. mm 125


Profil fasadne obloge		
Art.-Br.	Z50-643	
Težina	kg/m'	1.11
Opseg	mm	336
Moment inercije	I _x (cm ⁴)	16.09
	I _y (cm ⁴)	15.2
	W _x (cm ³)	3.93
	W _y (cm ³)	5.58
Dužina isporuke	mm	6500

**Z50-640**


težina: kg/ml 1.368

svj.povr. mm 140


Profil fasadne obloge		
Art.-Br.	Z50-640	
Težina	kg/m'	1.36
Opseg	mm	445
Moment inercije	I _x (cm ⁴)	25.09
	I _y (cm ⁴)	23.5
	W _x (cm ³)	5.61
	W _y (cm ³)	7.97
Dužina isporuke	mm	6500




Profil fasadne obloge		
Art.-Br.	Z50-653	
Težina	kg/m'	2.28
Opseg	mm	567
Moment inercije	I _x (cm ⁴)	194.6
	I _y (cm ⁴)	34.74
	W _x (cm ³)	23.53
	W _y (cm ³)	13.11
Dužina isporuke	mm	6500



Profil fasadne obloge		
Art.-Br.	F-0903	
Težina	kg/m'	1.04
Opseg	mm	220
Moment inercije	I _x (cm ⁴)	4.22
	I _y (cm ⁴)	8.15
	W _x (cm ³)	2.81
	W _y (cm ³)	3.99
Dužina isporuke	mm	6500




Profil fasadne obloge		
Art.-Br.	F-0905	
Težina	kg/m'	0.4
Opseg	mm	180
Moment inercije	I _x (cm ⁴)	0.42
	I _y (cm ⁴)	3.27
	W _x (cm ³)	0.3
	W _y (cm ³)	1.63
Dužina isporuke	mm	6500



Z40-0662

težina: kg/ml 0.245


svj.povr. mm 35



Z40-0649

težina: kg/ml 0.221


svj.povr. mm 30



Z40-0648







težina: kg/ml 0.268






svj.povr. mm 40










Ispuna X	Vanjska brtva	Unutarnja brtva	Lajsna		
					15.5 
3-4	328.002	318.001			Z40-662
5-7	328.003	318.002			10.5 
8-9	328.002	318.001			Z40-649






Okovi




CODE	Izgled-presjek	Opis	Materijal	Nap.
710.438		-Kutna spojnica 8, L=18	Al.	
710.067	 M8x13 M6x10	- Veznik, L=16.8	Al.	
374.002		- Kopča za lajsnu	PVC	
521.034		- Podloška nosača - Stara oznaka: F-0896-25	Al.	
371.001		- Podloška parapeta - Stara oznaka: C-VK-02	PVC	
730.015		- Kopča za pregrade PF-100	Zamak #3	

CODE	Izgled-presjek	Opis	Materijal	Nap.
421.001		- Butilna traka 45 mm x 0,8mm (rola 10m) - Butyl tape 45 mm x 0,8mm (roled 10m)	Butil	
730.001		- Kutna spojnica za komoru 2x4.8 - Stara oznaka G112, 0365	Inox	
730.002		- Kutna spojnica za komoru 2x4.8 - Stara oznaka G112/A	Inox	
730.010		- Kutna spojnica za komoru 27x6.5 - Oznaka dobavljača Ditrx: 5001	Al.	
710.072		- Kutna spojnica 34.6, L=28.5 (V)	Al.	
710.066		- Veznik, L= 14.7 - Stara oznaka E-200	Al.	


CODE	Izgled-presjek	Opis	Materijal	Nap.
220.005		- Grupa glodala (Z50)	Čelik	
124.002		- Cilindar (uložak) za bravu - (31+61 mm) - Oznaka dobavljača Stublina: 5057.00.520	Čelik	
125.001		- Prihvatnik jezička brave (šild) - Stara oznaka: 6862/25	Prokrom Čelik	
124.001		- Brava 35 mm sa jezičkom - Stara oznaka: 3022.00	Inox Čelik	
123.001.01 02 03		- Štitnik cilindra za bravu (par) - Stara oznaka: 149.805 - Boje: 01- bijela; 02 - siva; 03 - crna	PVC	
124.004.01 02 03		- Štitnik cilindra za bravu (par) - Oznaka proizvođača Stublina: 1031.04.310 bijela .315 siva .313 crna - Boje: 01- bijela; 02 - siva; 03 - crna	Zn Čelik	


CODE	Izgled-presjek	Opis	Materijal	Nap.
104.015.01 02 03		- Ručka za vrata (duljina šipa 8x8 : L=140 mm) - Oznaka proizvođača Stublina: 1132.00.310 -bijela 315 -siva 313 -crna - Boje: 01- bijela; 02 - siva;03 - crna	AlSi Zamak	
114.001.01 02 03		- Dvodijelna šarka-EURO ŽLIJEB - Oznaka dobavljača Stublina: 2006.00.310 bijela .315 siva .313 crna - Boje: 01- bijela; 02 - siva;03 - crna		


CODE	Izgled-presjek	Opis	Materijal	Nap.
338.003		- Centralna brtva	EPDM	
328.001		- Brtva u profilu krila i rama	EPDM	61
318.001		- Brtva prema staklu-unutarnja (3mm)	EPDM	71
318.002		-Brtva prema staklu-unutarnja (4mm)	EPDM	71
328.002		- Brtva prema staklu - vanjska (3.5 mm)	EPDM	61
328.003		- Brtva prema staklu - vanjska (5 mm)	EPDM	61



CODE	Izgled-presjek	Opis	Materijal	Nap.
344.037		- Ispuna između spoja pregrada		
521.001		- Držać četkaste brtve, L=2000 mm - Stara oznaka Z 801	Al.	
347.001		- Četkasta brtva 25 mm, L=2500 mm - Stara oznaka Z 802 - Oznaka proizvođača Schlegel giesse: 2U929288		



Presjeci












































Obrada i montaža






DETALJ UGRADNJE LJEPLJIVE TRAKE TP-100











POGLED A-A




OBRADA PROFILA








F-0903
F-0799_B
F-0905
F-0878








F-0903
Z 40-649




F-0903
F-0799_B
Z 40-649

F-0903
F-0799_B
Z 40-649

OBRADA PROFILA PREČKE
ZA VEZNIK 710.066(E200)



Obrada za bravu STUBLINA



Rezne liste

PROFILI		kom	mjera	pilanje
FT-0903	okomiti profili podkonstrukcije	4	H-123	90-90
FT-0903	okomiti profili podkonstrukcije	1	H+15	90-90
FT-0903	vodoravni profili podkonstrukcije	4	L1-119.7	90-90
FT-0903	vodoravni profili podkonstrukcije	2	L2-21.4	90-90
FT-0903	vodoravni profili podkonstrukcije	4	L3-21.4	90-90
F-0799/B	okomiti profil okvira do zida	4	H+15	90-45
F-0799/B	vodoravni profil okvira do zida	2	L+30	45-45
F-0878	vodoravni profil parapeta	2	L1-91	90-90
F-0878	vodoravni profil parapeta	2	L3+7,2	90-90
F-0905	vodoravni profil podkonstrukcije u parapetu	1	L1-68.6	90-90
F-0905	vodoravni profil podkonstrukcije u parapetu	1	L3+29.7	90-90
F-0799/A	okomiti profil okvira vrata	4	H1+H2+H3-4	90-45
F-0799/A	vodoravni profil okvira vrata	2	L2-8	45-45
Z40-648	okomiti profil lajsne okvira vrata	4	H1+H2+H3-20.4	90-45
Z40-648	vodoravni profil lajsne okvira vrata	2	L2-40.8	45-45
F-0876	profil strujne kutije	2	H+15	90-90
Z50-643	okomiti profil rama vrata	2	H1+H2+H3-29.4	90-45
Z50-643	vodoravni profil rama vrata	1	L2-58.8	45-45
Z50-640	okomiti profil krila vrata	2	H1+H2+H3-78.9	90-45
Z50-640	vodoravni profil krila vrata	1	L2-145.8	45-45
Z50-653	profil prečke vrata	1	L2-269.8	90-90
Z40-648	okomiti profil lajsne vrata	4	H1+H2+H3-283.8	45-45
Z40-648	vodoravni profil lajsne vrata	2	L2-279.7	45-45
F-0799	okomiti profil okvira	8	H1-130.4	45-45
F-0799	okomiti profil okvira	8	H2-8	45-45
F-0799	okomiti profil okvira	8	H3-8	45-45
F-0799	okomiti profil okvira	12	H4-8	45-45
F-0799	vodoravni profil okvira	16	L1-106.3	45-45
F-0799	vodoravni profil okvira	4	L2-8	45-45
F-0799	vodoravni profil okvira	16	L3-8	45-45
Z40-649	okomiti profil lajsne okvira	8	H1-163.7	45-45
Z40-649	okomiti profil lajsne okvira	8	H2-41.3	45-45
Z40-649	okomiti profil lajsne okvira	8	H3-41.3	45-45
Z40-649	okomiti profil lajsne okvira	12	H4-41.3	45-45
Z40-649	vodoravni profil lajsne okvira	16	L1-139.6	45-45
Z40-649	vodoravni profil lajsne okvira	4	L2-41.3	45-45
Z40-649	vodoravni profil lajsne okvira	16	L3-41.3	45-45
OKOVI		kom		
710.438	kutnik okvira	80		
730.015	kopča za okvir	(4H+L+8L1+4H1+4H2+4H3+4H4+8L3+3L2)/100		
521.034	veznik parapeta	(L1+L3)/300		
371.001	podloška u prapetu	12		
TP-100	samoljepljiva traka (dužina komada 50mm)	(4H+L+8L1+4H1+4H2+4H3+4H4+8L3+3L2)/150		
710.067	veznik podkonstrukcije	23		
374.002	kopča za lajsnu	(4H+L+8L1+4H1+4H2+4H3+4H4+8L3+3L2)/150		
730.001	pomoćni kutnik	4		
730.002	pomoćni kutnik	2		
730.003	pomoćni kutnik	4		
710.072	osnovni kutnik	6		
114.001	šarke	3		
124.002	uložak za bravu 31x61	1		
125.001	prihvatnik jezička brave	1		
103.001.xx	ručke za vrata	1		
124.001	brava 35 mm	1		

BRTVE

mjera

328.001	brtva na spoju profila	4H1+4H2+4H3+2L2
328.002	brtva prema staklu	4H1+4H2+4H3+2L2

BRTVE

kom


331.003	centralna brtva	2H1+2H2+2H3+L2
318.001	brtva prema staklu (unutra)	4H1+4H2+4H3+2L2
521.001	držač četkaste brtve	
347.001	četkasta brtva	
344.037	Ispuna između pregrada	10H+10L1+10L2+10L3
318.002	brtva prema staklu	8L1+6H1+6H2+4L2+6H3+6L4+4L3
328.001	brtva na spoju profila	8L1+6H1+6H2+4L2+6H3+6L4+4L3

STAKLO

kom


mjera

30 mm	1	L2-299 x H1+H2+H3-303
6 mm	1	L1-162 x H1-186
6 mm	1	L1-162 x H2-64
6 mm	1	L1-162 x H3-64
6 mm	1	L1-162 x H4-64
6 mm	1	L2-64 x H4-64
6 mm	1	L3-163 x H4-64
6 mm	1	L3-163 x H3-64
6 mm	1	L3-163 x H2-64
6 mm	1	L3-163 x H1-186




NAPOMENA:


Obraditi (F-0903) profil nosive podkonstrukcije prema crtežu



PRESJEK A-A



PRESJEK B-B



FEAL

PF 100

Listopad 2025. / *November 2025*

FEAL d.o.o.
Trnska cesta 146
88220 Široki Brijeg
Bosna i Hercegovina
Tel. +387 39 704-269; 705-807; 705-636
Fax. +387 39 704-358
info@feal.ba
www.feal.ba